

Printing date 15.10.2018 Version number 3 Revision: 29.08.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name:

Savor Ansatzkonzentrate 3N, 5N, 5N rot; Savor Regenerieung 4N, 5N, 5N rot Savor make-up concentrate 3N, 5N, 5N red; Replenisher for Savor color gilding bath 4N, 5N, 5N red

- · Article number: 3100100301, 3100100501, 3100100701, 3100100404, 3100100504, 3100100704
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Galvanic bath
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Wieland Edelmetalle GmbH

Schwenninger Str. 13

75179 Pforzheim

Telefon +49 (07231)-1393-0, Telefax +49 (07231)-1393-100

· Further information obtainable from:

Wieland Edelmetalle GmbH www.wieland-edelmetalle.de msds@wieland-edelmetalle.de

· 1.4 Emergency telephone number:

Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS06 skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 2 H310 Fatal in contact with skin.



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Printing date 15.10.2018 Version number 3 Revision: 29.08.2017

Trade name: Savor Ansatzkonzentrate 3N, 5N, 5N rot; Savor Regenerieung 4N, 5N, 5N rot

(Contd. of page 1)

### · Hazard pictograms



## · Signal word Danger

#### · Hazard-determining components of labelling:

potassium cyanide potassium dicyanoaurate copper cyanide

### · Hazard statements

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

#### · Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

### · Additional information:

EUH031 Contact with acids liberates toxic gas.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### · 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 7778-53-2	tripotassium phosphate	1-5%
	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 151-50-8	potassium cyanide	1-5%
EINECS: 205-792-3	Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 13967-50-5 EINECS: 237-748-4	potassium dicyanoaurate  Acute Tox. 2, H300; Acute Tox. 2, H330; Met. Corr.1, H290; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	1-5%
CAS: 544-92-3 EINECS: 208-883-6	copper cyanide  Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	1-5%

(Contd. on page 3)



Printing date 15.10.2018 Version number 3 Revision: 29.08.2017

Trade name: Savor Ansatzkonzentrate 3N, 5N, 5N rot; Savor Regenerieung 4N, 5N, 5N rot

(Contd. of page 2)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air or oxygen; call for doctor.

Do not use mouth to mouth or mouth to nose resuscitation.

Use a respiratory bag or breathing device.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Hazards

Danger of gastric perforation.

Danger of circulatory collapse.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture Hydrogen cyanide (HCN)
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

 $\cdot$  6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB



Printing date 15.10.2018 Version number 3 Revision: 29.08.2017

Trade name: Savor Ansatzkonzentrate 3N, 5N, 5N rot; Savor Regenerieung 4N, 5N, 5N rot

(Contd. of page 3)

## **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Do not store together with acids.
- · Further information about storage conditions:

Store under lock and key and with access restricted to technical experts or their assistants only. Keep receptacle tightly sealed.

- · Storage class: 6.1B
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNE	· DNELs				
1396	13967-50-5 potassium dicyanoaurate				
Oral	DNEL(Comm.)akut	4.5 mg/kg (-) (CN)			
	DNEL(Com.)longterm	0.05 mg/kg (-) (CN)			
	DNEL(Industrie) akut	4.5 mg/kg (-) (CN)			
	DNEL(Indust.)longt.	0.05 mg/kg (-) (CN)			
DATE	DNEC.				

#### · PNECs

## 13967-50-5 potassium dicyanoaurate

PNEC (Industrie) 0.03 μg/l (H2O) (CN) PNEC (Commercial) 0.03 μg/l (H2O) (CN)

- · Additional information: The lists valid during the making were used as basis.
- $\cdot$  8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter B

(Contd. on page 5)



Printing date 15.10.2018 Version number 3 Revision: 29.08.2017

Trade name: Savor Ansatzkonzentrate 3N, 5N, 5N rot; Savor Regenerieung 4N, 5N, 5N rot

(Contd. of page 4)

#### · Protection of hands:



### · Material of gloves

Chloroprene rubber, CR Butyl rubber, BR Fluorocarbon rubber (Viton) Nitrile rubber, NBR

### · Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. Value for the permeation: Level  $\leq 6$ 

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

## **SECTION 9: Physical and chemical properties**

<u> </u>		
· 9.1 Information on basic physical and chemical properties		
· General Information		
· Appearance:		
Form:	Fluid	
Colour:	Various colours	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value at 20 °C:	12	
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling rang	ge: 105 °C	
· Flash point:	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Oxidising properties	None	
· Vapour pressure:	Not determined.	
· Density at 20 °C:	ca. 1.1 g/cm³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
Evaporation rate	Not determined.	

(Contd. on page 6)



Printing date 15.10.2018 Version number 3 Revision: 29.08.2017

Trade name: Savor Ansatzkonzentrate 3N, 5N, 5N rot; Savor Regenerieung 4N, 5N, 5N rot

Solubility in / Miscibility with
water:
Fully miscible.

Partition coefficient: n-octanol/water:
Not determined.

Viscosity:
Dynamic:
Not determined.
Kinematic:
Not determined.

Not determined.

Solvent content:
Water:
990 %
No further relevant information available.

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Contact with acids releases toxic gases.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Hydrogen cyanide (prussic acid)

# **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity

Toxic if swallowed.

Fatal in contact with skin.

Harmful if inhaled

	namuu n maacu.			
· LD/LC50	· LD/LC50 values relevant for classification:			
ATE (Acute Toxicity Estimates)				
Oral	LD50	176 mg/kg (rat)		
Dermal	LD50	133 mg/kg		
Inhalative	LC50/4 h	9.9 mg/l		
151-50-8 լ	potassium	cyanide		
Oral	LD50	5 mg/kg (rat)		
	LDLO	2.86 mg/kg (human) (RTECS)		
Dermal	LD50	5 mg/kg (ATE)		
Inhalative	LC50/4 h	0.5 mg/l (ATE)		
13967-50-	5 potassiu	m dicyanoaurate		
Oral	LD50	29 mg/kg (rat)		
Dermal	LD50	100 mg/kg (human) (CN)		
Inhalative	LC50/4 h	0.5 mg/l (ATE)		
	LC50	524 mg/kg (10min) (human) (HCN)		
544-92-3	copper cya	nnide		
Oral	LD50	126 mg/kg (rat)		
Dermal	LD50	5 mg/kg (ATE)		
Inhalative	LC50/4 h	0.5 mg/l (ATE)		
	•	(Contd. on page)		

Contd. on page



Printing date 15.10.2018 Version number 3 Revision: 29.08.2017

Trade name: Savor Ansatzkonzentrate 3N, 5N, 5N rot; Savor Regenerieung 4N, 5N, 5N rot

(Contd. of page 6)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

## 151-50-8 potassium cyanide

LC50 0.45 mg/l (96h) (Lepomis macrochirus (bluegrill))

EC50 2 mg/l (48h) (Daphnia magna (water flea))

EC50 1.8-1.9 mg/l (72h) (Eutosiphon sulcatum) (CN)

IC50 0.03 mg/l (8d) (Sc.quadricauda)

### 13967-50-5 potassium dicyanoaurate

LC50 0.083 mg/l (96h) (Lepomis macrochirus (bluegrill)) (CN)

LC50 0.12 mg/l (96h) (Pimephales promelas (fathead minnow)) (CN)

0.057 mg/l (96h) (Onchorhynchus mykiss (rainbow trout)) (CN)

EC50 0.041 mg/l (48h) (Daphnia magna (water flea)) (CN)

EC50 1.8 mg/l (72h) (Eutosiphon sulcatum) (CN)

IC50 0.03 mg/l (8d) (Sc.quadricauda) (CN)

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Toxic for aquatic organisms

Water danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must be specially treated adhering to official regulations.

(Contd. on page 8)



Printing date 15.10.2018 Version number 3 Revision: 29.08.2017

Trade name: Savor Ansatzkonzentrate 3N, 5N, 5N rot; Savor Regenerieung 4N, 5N, 5N rot

(Contd. of page 7)

Contact manufacturer for recycling information.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number ADR, IMDG, IATA	1935
14.2 UN proper shipping name ADR	1935 CYANIDE SOLUTION, N.O.S. (POTASSIU CYANIDE, potassium dicyanoaurate)
IMDG, IATA	CYANIDE SOLUTION, N.O.S. (POTASSIU CYANIDE, potassium dicyanoaurate)
14.3 Transport hazard class(es)	
ADR	
Class	6.1 (T4) Toxic substances.
Label	6.1
Class Label	<ul><li>6.1 Toxic substances.</li><li>6.1</li></ul>
IATA  Class Label	<ul><li>6.1 Toxic substances.</li><li>6.1</li></ul>
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant: Special marking (ADR):	Yes Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user	Warning: Toxic substances.
Danger code (Kemler): EMS Number:	6.1 F-A,S-A
14.7 Transport in bulk according to Ann Marpol and the IBC Code	nex II of Not applicable.



Printing date 15.10.2018 Version number 3 Revision: 29.08.2017

Trade name: Savor Ansatzkonzentrate 3N, 5N, 5N rot; Savor Regenerieung 4N, 5N, 5N rot

	(Contd. of page 8)
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Transport category · Tunnel restriction code	LQ7 2 E
· IATA · Remarks:	(POTASSIUM CYANIDE, potassium dicyanoaurate)
· UN ''Model Regulation'':	UN1935, CYANIDE SOLUTION, N.O.S., 6.1, III

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

H2 ACUTE TOXIC

E2 Hazardous to the Aquatic Environment

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- · Technical instructions (air):

Class	Share in %
III	1.1

- · Waterhazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H290 May be corrosive to metals.

H300 Fatal if swallowed.

H310 Fatal in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 10)



Printing date 15.10.2018 Version number 3 Revision: 29.08.2017

Trade name: Savor Ansatzkonzentrate 3N, 5N, 5N rot; Savor Regenerieung 4N, 5N, 5N rot

(Contd. of page 9)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 2: Acute toxicity - Category 2

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 1: Acute toxicity – Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

\* Data compared to the previous version altered.