

# LISTA COMPACT

Workspace and storage furnishings



# LISTA

## YOUR PARTNER FOR MORE THAN 70 YEARS

For over 70 years, LISTA has been providing efficient and organised workspace and storage solutions, the most popular of which are now showcased in the new LISTA Compact. For the first time, we have selected a range of the most popular solutions in each product group. In addition, each product can still be configured as per your requirements and ordered individually. With all the benefits LISTA offers now even more clearly presented.

### LISTA: Benefits at a glance

- + Comprehensive range**  
from A for access control to W for workstation systems
- + The system concept**  
all products can be freely combined
- + Bespoke solutions**  
for customers with specific needs
- + Maximum flexibility**  
with a choice of colours, configuration options and more
- + A wide range of services**  
such as training, assembly, marking, etc.
- + Expert planning**  
with our LISTA Draw visualisation software
- + 10-year guarantee**  
unique in the industry
- + Worldwide distribution and service network**  
for unlimited customer service
- + First-class references**  
from more than 100,000 prestigious companies worldwide



# COLOURFUL SOLUTIONS

**Twelve standard colours, six colour combinations, all other colours available.** Whether a workbench or drawer cabinet in red, green or violet: LISTA can supply any product, in any colour and colour combination on request. This means that you can design your own individual system with absolute flexibility. All options are possible, from different colours for individual work areas to storage and workspace furnishing in corporate colours.

In addition to classic standard colours like pale blue, pale grey, pure white or black, you can choose from 12 other predefined colours or simply specify the colours you want. And you can order housings and drawers in different colours. Because when we say flexible, we mean it.


**All standard colours**  
see fold-out page at end



# SECURITY INCLUDED

**From standard locking systems with replaceable cylinders to fully electronic access control systems: LISTA gives you the choice.** Four intelligent levels of security reliably ensure that only authorised personnel have access to the inventory. This means that tools and supplies are protected and yet always accessible, making it easier to plan inventories and more economical to maintain them.

LISTA offers the utmost flexibility; for example, you can easily upgrade a standard locking system to a numeric code system at any time. With LISTA electronic access systems you can not only control access to the whole cabinet, individual drawers or the drawer compartments specially developed for this system, but use all the various system types together in a single cabinet – whatever suits your needs.



## Electronic access control

- Modular access control system
  - Simple electronically controlled access to cabinets, drawers or compartments (LISTA Cabinet Control, LISTA Drawer Control or LISTA Parts Control)
- » see p. 46



## Key Lock

- Standard locking system with replaceable cylinders
- Including two keys with key number
- Can be easily fitted to existing locking systems
- Also suitable for use as main locking system
- Max. 100 cylinders, for separate or combined locking



## Code Lock

- Numeric combination lock
- Four to six digit combination for direct access without key
- Up to 19 different user codes
- Works for several years without needing a new battery
- Master key function with master code



## Remote Lock/Remote Lock Mobile

- Locking by means of hand-held radio transmitter
- For stationary and mobile cabinets
- Programmable access rights and locking hierarchy
- Self-locking system delivers maximum security at minimum cost



## THE CHOICE IS YOURS

**LISTA stands for bespoke system solutions to meet your needs.** Size, equipment, locking system, colour or drawer partitions: every detail of every element can be optimised and adapted to meet your individual requirements to ensure the solution is fit for purpose. We will be pleased to advise you on the best configuration via our helpline or to assist you personally from analysis and project planning to fitting and beyond.

Because LISTA offers expert advice and service, you can get everything you need for a truly efficient workplace from a single supplier and we can meet any challenge, true to our motto: making work-space work.



# ORGANISATION MADE TO MEASURE

**From drawer cabinets to individual workstations, the entire LISTA system is based on a standard measurement.** A LISTA unit is 17 mm and this ensures that all elements fit together seamlessly. This enables you to freely combine any LISTA product, to replace or add on elements or to reconfigure your system any way you like.

The LISTA unit gives you maximum creative freedom, regardless of whether you want to store industrial tools or maintain an orderly and secure stock of medicines in a hospital. The standard grid also ensures that partition materials give you the highest possible degree of order and organisation and brings the additional benefits of workflow and efficiency.

## **LISTA partition materials**

see p. 166



Drawer cabinets

# ROBUST ALL-ROUNDERS

**LISTA drawer cabinets provide a robust and well protected storage option for equipment and many other items.** High-quality specifications and a variety of individual configuration options make these robust all-rounders ideal for a wide variety of requirements and environments. Their special design guarantees optimum space utilisation. In addition, housing and drawers can be variably partitioned, intelligently labelled, protected with access control and finished in almost any colour. Nowhere else will you find this degree of flexibility.



## ! ALWAYS WITH LISTA

### Free choice of colours

12 standard colours, 6 colour combinations, all other colours available; see p. 10

### Intelligent locking systems

replaceable cylinders for adapting existing locking systems, electronic numeric and remote locking systems for absolute security made to measure; see p. 11

### Individual configuration options

in terms of size, equipment, locking system, colour and drawer partitions; see p. 12

### Fully combinable

with the entire LISTA range thanks to standard measurement unit; see p. 13



**+ Utmost stability**

load capacity of housing up to 4 t; load capacity of drawers 75 or 200 kg

**+ Can be utilised to the full**

since drawers can be fully extended and the drawer shell heights are optimised

**+ Well protected**

against dirt, liquids and mechanical load through closed housing with impact and abrasion-resistant surface

**+ Outstanding safety features**

safety catch to prevent the drawers from falling out and anti-tilt mechanism to prevent opening of more than one drawer at a time

**+ Full corrosion protection**

with electrophoretic dip painting and environmentally-friendly powder coating

**+ Optimum order and organisation**

thanks to special LISTA partition material for every purpose and perforated, slotted drawers

**+ Professional labelling**

with LISTA Script labelling software and clip-on label holders which fold upwards

**+ Perfectly smooth running**

through differential pull-out without a crossbar

**+ Flexibly adaptable**

through pre-perforated holes for table tops (punch-outs), rollers, drawers, locking systems for easy retro-fitting and refitting

# Drawer cabinets



## + Maximum use of drawer space



### Optimum shell height

- drawer sides and rear panels the same height as the fronts
- maximum use of vertical space
- optimum protection against items falling out and loss of stored items



### Full extension

- maximum use of horizontal space
- everything in view
- optimum access

## + Perfectly smooth running



### Pull-out without crossbar

- perfectly smooth running and ease of movement through differential pull-out without a crossbar
- enables the drawer to be fully extended



### Quiet locking tab

- special plastic cover in the locking tab
- smooth and quiet locking process

## + Professional labelling



### Label holder which folds upwards

- on drawers, troughs, metal dividers, separators and housing
- for easy, clean and protected labelling




### LISTA Script

The LISTA Script labelling software offers:

- numerous labelling options
- pictograms
- barcode generator

As a LISTA customer, you can download our LISTA Script labelling software free of charge online at: [www.lista.com/script](http://www.lista.com/script)

## + Partition material for every purpose



### The LISTA standard

Our drawer partition materials are standardised and therefore compatible with the entire LISTA range.

➤ Drawer partition material see p. 166 ff.

➤ Lista Script slide-in labels see p. 180 ff.

## Benefits of LISTA storage systems


### Storage in drawers

Storing small parts in drawers rather than on shelves ensures that stored items are protected from dust and contamination while saving space and optimising organisation. The entire contents of the drawer are visible in no time, whereas with a shelf, items may have to be moved or reached over to gain access.

- The depth of a compartment can be adapted to suit the stored items at any time, and any number of parts can be placed one behind the other
- By simply pulling out the drawer, you can clearly see the contents and have everything within reach in a truly space-saving way

#### + Example of space requirement

Usable depth 4 x 600 = 2400 mm  
 Depth of aisle 2 x 1000 = 2000 mm } Total 4400 mm




### Storage on shelves


- If the parts are smaller than the depth of the shelves, there is a lot of unused space behind the goods
- If the items are stored behind one another, then space is needed for both visibility and access

#### - Example of space requirement

Usable depth 8 x 300 = 2400 mm  
 Depth of aisle 4 x 800 = 3200 mm } Total 5600 mm



## + Optimum order and organisation



**Plastic boxes and troughs**  
for small and cylindrical items




**Tool holders**  
for NC storage



**Metal separators**  
for different sized parts



**PE foam inserts**  
for special and measuring tools



### Perforated, slotted drawers hold items firmly in place

- a series of slots around the drawer walls hold the partitioning material firmly in place
- perforated drawer bases enable slotted dividers, metal separators, dividers, holding pins or milling cutter holders to be optionally screwed in place

Lista Units	Depth 27 E				Depth 36 E							
	18 x 27 E	27 x 27 E	36 x 27 E	54 x 27 E	18 x 36 E	27 x 36 E	36 x 36 E	45 x 36 E	54 x 36 E	64 x 36 E	78 x 36 E	
Cabinet floor area mm	411 x 572	564 x 572	717 x 572	1023 x 572	411 x 725	564 x 725	717 x 725	870 x 725	1023 x 725	1193 x 725	1431 x 725	
Drawer useful space mm	306 x 459	459 x 459	612 x 459	918 x 459	306 x 612	459 x 612	612 x 612	765 x 612	918 x 612	1088 x 612	1326 x 612	

## + Intelligent locking systems



### Key Lock

- standard locking system with replaceable cylinders including two keys with key number
- easily adapted to existing locking systems
- can be used as master key locking system (max. 100 cylinders) or as separate or combined locking system



### Code Lock

- locking system with 4 to 6-digit numeric combination
- direct access without a key
- up to 19 different user codes
- works for several years without changing the battery
- can be installed with master key function and master code



### Remote Lock / Remote Lock Mobile

- locking system using hand-held radio transmitter for stationary or mobile cabinets
- programmable access rights and locking hierarchies
- self-locking system provides maximum security at minimum cost




### Access control

A simple electronic control in the form of a modular access control system can also be installed (LISTA Cabinet Control, LISTA Drawer Control or LISTA Parts Control)

➤ LISTA Electronic Control see p. 46

You can easily change from the standard Key Lock system to the locking system with numeric Code Lock at any time.

## + Flexibly adaptable



### Variable raised edges

- raised edges on three sides of stationary cabinets for simple and easy cleaning
- raised edges on four sides of mobile cabinets to protect the goods being transported



### Punch out

- housing covers with pre-perforated holes which can be punched out
- for retrofitting with a table top or second drawer cabinet on top



### Base/forklift base


- optional base and forklift base (for drawer cabinets with a width of 36 E and over)
- makes it easy to adjust the height of the drawer cabinet
- enables the loaded cabinet to be lifted and moved with a forklift truck



### Mobile cabinets

- Our mobile cabinets are supplied with:
- raised edges on all four sides and push-bar
  - black ribbed mat
  - two swivel castors with brakes
  - two fixed castors and single-drawer locking mechanism

Stationary cabinets can be converted to mobile cabinets at any time.



## + Individual configuration options

As standard, LISTA drawer cabinets are available in seven different widths, two depths and a variety of heights. The configuration options in terms of size, equipment, locking system, colour and drawer partitions are almost unlimited.

Our drawer cabinets can be combined individually to suit any working environment in order to make maximum use of available space. They can be extended at any time and therefore offer a scalable solution tailored to your needs.

### Typical configurations



Configuration as a drawer cabinet



Configuration as a drawer cabinet with recessed hinged door, pull-out shelves and adjustable shelves



Configuration as a drawer cabinet with drawers, recessed hinged door, pull-out shelves and adjustable shelves



Configuration as a mobile drawer cabinet



Configuration as a picking trolley with raised edges and push-bar



ESD version available on request



## + Outstanding safety features



### Single drawer opening as standard

- prevents the cabinet from tipping over by blocking all other drawers when one drawer is pulled out
- allows for drawers to be moved around into a different arrangement at any time



### Flush drawer front

- drawer handles with side covers which sit snugly within the front profile
- look good and are safe



### Safety catches

- comply with all regulations against drawers accidentally falling out of cabinets
- reduce the risk of injuries at the workplace
- can easily be deactivated in order to move individual drawers



### Information on load capacity

- the load capacity (75 or 200 kg) is inscribed on the drawer runners
- increased safety

## + Extra safety for stationary and mobile cabinets



### Safety catch on right

- our standard safety catch for all mobile cabinets
- can be operated with one hand



### Single safety catch on the right and left

- especially suitable for mobile equipment
- both hands are needed to operate them



### Double safety catch

- has all the same features as the single safety catch on the left and the right
- easier to use since it can be operated with one hand



### Lilo locking device

- with external lever for fixing the fully laden drawer in either open or closed position
- for a drawer load capacity of 200 kg


# Drawer cabinets

## Countless configuration options



### Covers

Raised edges on three sides and ribbed mat, Resin-coated cover panel, Multiplex cover panel, Raised edges on 4 sides, with push-bar (for mobile cabinets)



### Partition material

Slotted dividers, separators, trough walls, metal separators, label holders, plastic boxes and trough separators, milling cutter holders and holding pins, non-slip mats, foam inserts and much more.

### Inserts and add-ons

Drawers, pull-out and adjustable shelves, hinged doors



### Locking systems

Key Lock, Code Lock or, on request, Remote Lock/Remote Lock mobile

### Substructures

Housing base, 2-way pallet/forklift truck base, Pairs of castor holders and individual castors

## Order preconfigured models

» Page 22-35

Lista Units

» Page 166

2. Partition material

■ or options

## ... or configure and order cabinets individually

» Page 36-39

Lista Units

1. Housing

2. Drawers

3. Accessories

» Page 166

4. Partition material

- select the cabinet floor area (e. g. 717 x 572 mm = 36 x 27 E or 717 x 725 mm = 36 x 36 E)
- LISTA Unit E x E = a unit of measure which helps to choose drawers and partition materials

- choice of various housing heights (A)
- the choice of housing always includes the choice of the preferred locking system and the colour

- define the height of the front, the load capacity, the colour and the type of safety catch
- sum of the drawer front heights (C) = clear height (B) (see diagram)

- can be equipped with drawers and doors
- select the cabinet accessories
- mobile cabinets must have a drawer safety catch and a push-bar

- select the partition material for the drawers
- N.B.: take the drawer height and usable surface into account!

## 12 standard colours

### Maximum flexibility thanks to free choice of colours

All products with a choice of colours are available in 12 standard colours and 6 colour combinations without surcharge. The three-digit colour code (e.g. **.010**) forms part of the article number. When ordering, please complete the article number by adding the desired three-digit colour code (e.g. **70.701.010**). Housings and drawers can also be ordered in different colours.



**.010** Light blue  
RAL 5012



**.020** Light grey  
RAL 7035



**.030** Reseda green  
RAL 6011



**.040** Capri blue  
RAL 5019



**.050** Metallic grey  
NCS S 6502-B



**.060** Black  
NCS S 9000-N



**.070** Ruby red  
RAL 3003



**.080** Pigeon grey  
NCS S 4502-B



**.090** Gentian violet  
RAL 5010



**.100** Signal blue  
RAL 5005



**.110** Pure white  
RAL 9010



**.180** Grey white  
RAL 9002

## 6 colour combinations



**.514** Light grey  
RAL 7035  
Light blue  
RAL 5012



**.518** Light grey  
RAL 7035  
Signal blue  
RAL 5005



**.519** Light grey  
RAL 7035  
Metallic grey  
NCS S 6502-B



**.521** Metallic grey  
NCS S 6502-B  
Light grey  
RAL 7035



**.512** Light grey  
RAL 7035  
Ruby red  
RAL 3003



**.522** Ruby red  
RAL 3003  
Metallic grey  
NCS S 6502-B

## An additional 12 predefined colours

(at extra cost)

**.120** Grey aluminium  
RAL 9007

**.130** White aluminium  
RAL 9006

**.140** Light grey  
NCS S 2000-N

**.170** Ultramarine blue  
RAL 5002

**.190** Sky blue  
RAL 5015

**.200** Anthracite grey  
RAL 7016

**.210** Brilliant blue  
RAL 5007

**.220** Turquoise blue  
RAL 5018

**.230** Pebble grey  
RAL 7032

**.240** Flame red  
RAL 3000

**.260** Slate grey  
RAL 7015

**.280** Orange  
RAL 2004

### Your individual choice of colour on request

LISTA is able to deliver any individual colour on request. In addition to the existing standard and predefined colours, it is also possible to produce your desired product in any colour you choose on request.



Due to the printing process, these colour samples may deviate from the original colours.



Art. no. **78.414.521**  
 Housing: Metallic grey, NCS 6502-B  
 Fronts: light grey, RAL 7035  
 (excluding partition material)



Art. no. **78.423.070**  
 Ruby red, RAL 3003  
 (excluding partition material)

## Mobile cabinets

All mobile drawer cabinets on these two pages are equipped with:  
 1 raised edge on 4 sides and ribbed mat,  
 1 push-bar,  
 1 pair castor holders with nylon castors  
 Ø 100 mm, Drawer safety catch on right,  
 Load capacity 400 kg


**18 x 27 E**    **W → 411 mm**    **D ↗ 572 mm**

306 x 459 mm

	<b>H ↑</b>	<b>Number of drawers</b>	<b>kg</b>	<b>Locking system</b>	<b>Art. no.</b>
	<b>283</b>	2: 1x50 / 1x150	75	Key Lock	<b>78.400.XXX</b>
	<b>283</b>	2: 2x100	75	Key Lock	<b>78.402.XXX</b>
	<b>283</b>	3: 1x50 / 2x75	75	Key Lock	<b>78.404.XXX</b>
	<b>383</b>	3: 1x50 / 1x100 / 1x150	75	Key Lock	<b>78.406.XXX</b>
	<b>383</b>	3: 2x75 / 1x150	75	Key Lock	<b>78.408.XXX</b>
	<b>383</b>	4: 1x50 / 2x75 / 1x100	75	Key Lock	<b>78.410.XXX</b>
	<b>533</b>	4: 1x50 / 1x100 / 2x150	75	Key Lock	<b>78.414.XXX</b>
	<b>700</b>	3: 1x100 / 1x200 / 1x300	75	Key Lock	<b>78.418.XXX</b>
	<b>700</b>	5: 2x75 / 3x150	75	Key Lock	<b>78.420.XXX</b>
	<b>723</b>	4: 1x50 / 1x100 / 2x150	75	Key Lock	<b>78.423.XXX</b>
	<b>723</b>	5: 2x50 / 2x100 / 1x150	75	Key Lock	<b>78.425.XXX</b>
	<b>840</b>	6: 2x50 / 2x75 / 2x150	75	Key Lock	<b>78.427.XXX</b>

**i**

When ordering a drawer cabinet on these two pages with **Code Lock**, please add the suffix „C“ to the article number in the table (e.g. **78.467.XXX.C**).



= load capacity  
 = locking system



**27 x 27 E**    **W** → 564 mm    **D** ↗ 572 mm

 459 x 459 mm



<b>H</b> ↑	Number of drawers mm	kg	Lock	Art. no.
283	2: 1x50 / 1x150	75	Key Lock	78.461.XXX
283	2: 2x100	75	Key Lock	78.463.XXX
283	3: 2x50 / 1x100	75	Key Lock	78.465.XXX
383	2: 1x100 / 1x200	75	Key Lock	78.467.XXX
383	3: 1x50 / 1x100 / 1x150	75	Key Lock	78.469.XXX
383	4: 1x50 / 2x75 / 1x100	75	Key Lock	78.471.XXX
700	6: 1x50 / 2x75 / 2x100 / 1x200	75	Key Lock	78.486.XXX
800	4: 2x100 / 1x200 / 1x300	75	Key Lock	78.289.XXX
800	5: 1x50 / 2x100 / 1x150 / 1x300	75	Key Lock	78.882.XXX
850	4: 1x100 / 1x150 / 1x200 / 1x300	75	Key Lock	79.380.XXX
850	5: 1x100 / 3x150 / 1x200	75	Key Lock	14.256.XXX
850	6: 2x75 / 2x100 / 2x200	75	Key Lock	14.258.XXX
850	6: 1x50 / 2x100 / 2x150 / 1x200	75	Key Lock	78.953.XXX
850	7: 2x75 / 3x100 / 2x150	75	Key Lock	14.252.XXX
850	8: 1x50 / 2x75 / 4x100 / 1x150	75	Key Lock	14.250.XXX
723	4: 1x50 / 1x75 / 1x125 / 1x200	75	Key Lock	78.489.XXX
723	5: 1x50 / 2x75 / 1x100 / 1x150	75	Key Lock	78.491.XXX
840	6: 2x50 / 2x75 / 2x150	75	Key Lock	78.493.XXX
890	5: 4x100 / 1x200	75	Key Lock	14.249.XXX
890	6: 1x50 / 2x75 / 2x100 / 1x200	75	Key Lock	14.247.XXX
890	6: 2x75 / 3x100 / 1x150	75	Key Lock	14.245.XXX

**S** Art. no. **14.252.010**  
Light blue, RAL 5012  
(excluding partition material)



**S**  
**S**

**S**  
**S**

Art. no. **14.245.020**  
Light grey, RAL 7035  
(excluding partition material)

**S** **LISTA quick delivery range**  
These LISTA products in the colours light blue (.010) and light grey (.020) are available ex-works at short notice.

**.010**

Light blue  
RAL 5012

**.020**

Light grey  
RAL 7035



# Drawer cabinets | stationary and mobile



Art. no. **78.556.521**  
 Housing: Metallic grey, NCS S 6502-B  
 Fronts: Light grey, RAL 7035  
 (excluding partition material)

**36 x 27 E**    **W** → 717 mm    **D** ↗ 572 mm

612 x 459 mm

	<b>H</b> ↑	Number of drawers mm			Art. no.
	700	5: 1x50 / 2x100 / 1x150 / 1x200	75	Key Lock	<b>78.556.XXX</b>
	700	5: 2x75 / 2x100 / 1x250	75	Key Lock	<b>78.560.XXX</b>
	700	6: 2x75 / 3x100 / 1x150	75	Key Lock	<b>78.564.XXX</b>
	850	7: 1x50 / 2x75 / 2x100 / 1x150 / 1x200	75	Key Lock	<b>78.568.XXX</b>
	850	7: 2x75 / 2x100 / 2x125 / 1x150	75	Key Lock	<b>78.572.XXX</b>
	850	8: 4x75 / 3x100 / 1x150	75	Key Lock	<b>78.576.XXX</b>
	1000	7: 1x50 / 2x75 / 2x100 / 1x200 / 1x300	75	Key Lock	<b>78.580.XXX</b>
	1000	8: 2x75 / 2x100 / 3x150 / 1x200	75	Key Lock	<b>78.584.XXX</b>
	1000	8: 1x50 / 2x75 / 3x100 / 1x150 / 1x250	75	Key Lock	<b>78.588.XXX</b>
	962	5: 1x50 / 2x100 / 1x150 / 1x200	75	Key Lock	<b>78.604.XXX</b>
	962	5: 2x75 / 2x100 / 1x250	75	Key Lock	<b>78.608.XXX</b>
	962	6: 2x75 / 3x100 / 1x150	75	Key Lock	<b>78.606.XXX</b>

**i**

When ordering a drawer cabinet on these two pages with **Code Lock**, please add the suffix „C” to the article number in the table (e.g. **78.467.XXX.C**).



Art. no. **78.608.030**  
 Reseda green, RAL 6011  
 (excluding partition material)

## Mobile cabinets

All mobile drawer cabinets on these two pages are equipped with:  
 1 raised edge on four sides including ribbed mat, 1 push-bar, 1 pair of castor holders with rubber castors Ø 160 mm, single drawer safety catch on the right, load capacity 600 kg

= load capacity  
 = locking system



Art. no. **78.782.010**  
Light blue, RAL 5012  
(excluding partition material)

**54 x 27 E**    **W** → 1023 mm    **D** ↗ 572 mm

918 x 459 mm



H ↑	Number of drawers mm	kg	Lock	Art. no.
850	5: 3x100 / 1x150 / 1x300**	75	Key Lock	<b>78.742.XXX</b>
850	5: 3x100 / 1x150 / 1x300	200	Key Lock	<b>78.744.XXX</b>
850	6: 2x75 / 2x100 / 1x150 / 1x250**	75	Key Lock	<b>78.746.XXX</b>
850	6: 2x75 / 2x100 / 1x150 / 1x250	200	Key Lock	<b>78.748.XXX</b>
850	7: 1x50 / 2x75 / 2x100 / 1x150 / 1x200	75	Key Lock	<b>78.750.XXX</b>
850	7: 1x50* / 2x75 / 2x100 / 1x150 / 1x200	200	Key Lock	<b>78.752.XXX</b>
1000	6: 3x100 / 2x150 / 1x300**	75	Key Lock	<b>78.754.XXX</b>
1000	6: 3x100 / 2x150 / 1x300	200	Key Lock	<b>78.756.XXX</b>
1000	7: 2x75 / 1x100 / 3x150 / 1x200	75	Key Lock	<b>78.758.XXX</b>
1000	7: 2x75 / 1x100 / 3x150 / 1x200	200	Key Lock	<b>78.760.XXX</b>
1000	8: 2x75 / 4x100 / 1x150 / 1x200	75	Key Lock	<b>78.762.XXX</b>
1000	8: 2x75 / 4x100 / 1x150 / 1x200	200	Key Lock	<b>78.764.XXX</b>
1450	9: 2x75 / 2x100 / 2x150 / 2x200 / 1x300**	75	Key Lock	<b>78.766.XXX</b>
1450	9: 2x75 / 2x100 / 2x150 / 2x200 / 1x300	200	Key Lock	<b>78.768.XXX</b>
1450	10: 2x75 / 3x100 / 2x150 / 3x200	75	Key Lock	<b>78.770.XXX</b>
1450	10: 2x75 / 3x100 / 2x150 / 3x200	200	Key Lock	<b>78.772.XXX</b>
1450	11: 2x75 / 5x100 / 2x150 / 2x200	75	Key Lock	<b>78.774.XXX</b>
1450	11: 2x75 / 5x100 / 2x150 / 2x200	200	Key Lock	<b>78.776.XXX</b>
962	4: 1x100 / 2x150 / 1x200	75	Key Lock	<b>78.778.XXX</b>
962	5: 2x75 / 1x100 / 1x150 / 1x200	75	Key Lock	<b>78.780.XXX</b>
962	6: 2x75 / 3x100 / 1x150	75	Key Lock	<b>78.782.XXX</b>



Art. no. **78.770.020**  
Light grey, RAL 7035  
(excluding partition material)

\* Load capacity max. 75 kg  
\*\* Load capacity 200 kg

For colour information see fold-out page. When ordering, please use the desired three-digit colour code (instead of XXX).



In addition to the stationary versions, all LISTA drawer cabinets are also available as mobile cabinets. This increased mobility provides greater convenience and gains extra space. Mobile cabinets enable you to transport stored items easily and quickly and can conveniently be stored under a work surface if space is at a premium.

**+ Greater mobility**  
through smooth-running nylon and rubber castors, depending on the properties of the floor

**+ Optimum use of space**  
when positioned under work surfaces

**+ Safe and convenient**  
thanks to raised edges all round, ergonomic push-bar and additional drawer safety mechanisms

**>> Benefits of LISTA  
drawer cabinets**  
see p. 14/15



Art. no. **78.459.512**  
Housing: Light grey, RAL 7035  
Fronts: Ruby red, RAL 3003  
(excluding partition material)



Art. no. **78.449.010**  
Light blue, RAL 5012  
(excluding partition material)



Art. no. **78.439.512.C**  
Housing: Light grey, RAL 7035  
Fronts: Ruby red, RAL 3003  
(excluding partition material)

**18 x 36 E** W → **411 mm** D ↗ **725 mm**

306 x 612 mm

	H ↑	Number of drawers mm	kg	Locking system	Art. no.
	283	2: 1x50 / 1x150	75	Key Lock	<b>78.431.XXX</b>
	283	2: 2x100	75	Key Lock	<b>78.433.XXX</b>
	283	3: 1x50 / 2x75	75	Key Lock	<b>78.435.XXX</b>
	383	3: 2x75 / 1x150	75	Key Lock	<b>78.437.XXX</b>
	383	3: 1x50 / 1x100 / 1x150	75	Key Lock	<b>78.439.XXX</b>
	383	4: 1x50 / 2x75 / 1x100	75	Key Lock	<b>78.441.XXX</b>
	700	3: 2x150 / 1x300	75	Key Lock	<b>78.447.XXX</b>
	700	5: 2x75 / 3x150	75	Key Lock	<b>78.449.XXX</b>
	723	4: 1x50 / 1x100 / 2x150	75	Key Lock	<b>78.453.XXX</b>
	723	5: 2x50 / 2x100 / 1x150	75	Key Lock	<b>78.455.XXX</b>
	840	6: 2x50 / 2x75 / 2x150	75	Key Lock	<b>78.457.XXX</b>
	890	5: 2x75 / 3x150	75	Key Lock	<b>78.459.XXX</b>

**i**

When ordering a drawer cabinet on these two pages with **Code Lock**, please add the suffix „**C**“ to the article number in the table (e.g. **78.467.XXX.C**).

**Mobile cabinets**

All mobile drawer cabinets on this page are equipped with:  
1 raised edge on 4 sides and ribbed mat,  
1 push-bar,  
1 pair castor holders with nylon castors Ø 100 mm,  
Drawer safety catch on right, Load capacity 400 kg



# Drawer cabinets | stationary and mobile



**27 x 36 E**    **W** → 564 mm    **D** ↗ 725 mm

 459 x 612 mm

**H** ↑ **Number of drawers mm**

 kg



Art. no. 

	<b>283</b>	2: 1x50/1x150	75	Key Lock	<b>78.497.XXX</b>
	<b>283</b>	2: 2x100	75	Key Lock	<b>78.499.XXX</b>
	<b>383</b>	3: 1x50 / 1x100 / 1x150	75	Key Lock	<b>14.437.XXX</b>
	<b>383</b>	3: 2x75 / 1x150	75	Key Lock	<b>78.505.XXX</b>
	<b>533</b>	4: 1x50 / 2x100 / 1x200	75	Key Lock	<b>15.009.XXX</b>
	<b>533</b>	5: 1x50 / 2x75 / 1x100 / 1x150	75	Key Lock	<b>78.511.XXX</b>
	<b>700</b>	5: 2x75 / 1x100 / 1x150 / 1x200	75	Key Lock	<b>78.518.XXX</b>
	<b>700</b>	4: 1x100 / 2x150 / 1x200	75	Key Lock	<b>14.350.XXX</b>
	<b>700</b>	6: 1x50 / 2x75 / 2x100 / 1x200	75	Key Lock	<b>14.352.XXX</b>
	<b>800</b>	4: 2x100 / 1x200 / 1x300	75	Key Lock	<b>14.371.XXX</b>
	<b>800</b>	5: 1x50 / 2x100 / 1x150 / 1x300	75	Key Lock	<b>14.368.XXX</b>
	<b>800</b>	6: 2x75 / 2x100 / 1x150 / 1x200	75	Key Lock	<b>78.522.XXX</b>
	<b>800</b>	7: 1x50 / 2x75 / 2x100 / 2x150	75	Key Lock	<b>14.354.XXX</b>
	<b>800</b>	7: 2x75 / 4x100 / 1x150	75	Key Lock	<b>14.367.XXX</b>
	<b>800</b>	1: 1x100 + 1 door 600, right / 1 adjustable shelf / 1 pull-out shelf	75	Key Lock	<b>78.524.XXX</b>
	<b>850</b>	4: 3x150 / 1x300	75	Key Lock	<b>78.525.XXX</b>
	<b>850</b>	5: 1x50 / 2x100 / 1x200 / 1x300	75	Key Lock	<b>78.527.XXX</b>
	<b>850</b>	6: 1x75 / 3x100 / 1x125 / 1x250	75	Key Lock	<b>78.529.XXX</b>
	<b>850</b>	5: 2x100 / 1x150 / 2x200	75	Key Lock	<b>14.399.XXX</b>
	<b>850</b>	6: 1x50 / 2x100 / 2x150 / 1x200	75	Key Lock	<b>14.407.XXX</b>
	<b>850</b>	7: 1x50 / 2x75 / 2x100 / 1x150 / 1x200	75	Key Lock	<b>14.404.XXX</b>
	<b>850</b>	7: 2x75 / 3x100 / 2x150	75	Key Lock	<b>14.405.XXX</b>
	<b>850</b>	8: 1x50 / 2x75 / 4x100 / 1x150	75	Key Lock	<b>14.403.XXX</b>

 = load capacity  
 = locking system

Art. no. **14.367.519.C**

Housing: Light grey, RAL 7035

Fronts: Metallic grey, NCS S 6502-B  
 (excluding partition material)

**S**  
**S**

➤ Accessories  
see p. 38

**S**  
**S**

**S**  
**S**

**S**  
**S**  
**S**  
**S**



## Equipped with drawers and doors

Drawer cabinets can optionally be fitted with drawers and a door. Because the door is recessed, special pull-out shelves are used. As standard, the two locks have different keys. Identical locks or a Code Lock locking system are available on request (Code Lock is not available for doors).

Art. no. **78.524.522**  
 Housing: Ruby red, RAL 3003  
 Fronts: Metallic grey, NCS S 6502-B  
 (excluding partition material)



**27 x 36 E** W → 564 mm D ↗ 725 mm

459 x 612 mm



H ↑	Number of drawers mm	kg	Lock	Art. no.
723	4: 1x50 / 2x100 / 1x200	75	Key Lock	14.281.XXX
723	5: 2x50 / 2x100 / 1x150	75	Key Lock	14.331.XXX
723	6: 2x50 / 2x75 / 2x100	75	Key Lock	14.347.XXX

S  
S

Art. no. **14.373.512**  
 Housing: Light grey, RAL 7035  
 Fronts: Ruby red, RAL 3003  
 (excluding partition material)

**Mobile cabinets**

All mobile drawer cabinets on this page are equipped with:  
 1 raised edge on 4 sides and ribbed mat,  
 1 push-bar,  
 1 pair castor holders with nylon castors Ø 100 mm,  
 Drawer safety catch on right, Load capacity 400 kg

S

S  
S

890	5: 2x75 / 1x100 / 1x150 / 1x200	75	Key Lock	78.546.XXX
890	6: 1x50 / 2x75 / 2x100 / 1x200	75	Key Lock	78.548.XXX
990	5: 1x50 / 2x100 / 1x150 / 1x300	75	Key Lock	14.374.XXX
990	5: 3x100 / 2x200	75	Key Lock	14.397.XXX
990	7: 1x50 / 2x75 / 2x100 / 2x150	75	Key Lock	14.372.XXX
990	7: 2x75 / 4x100 / 1x150	75	Key Lock	14.373.XXX



760	3: 1x50 / 1x100 / 1x150 / 1 set of support brackets (upper)	75	Key Lock	70.632.XXX
760	1 adjustable shelf	75	-	78.216.XXX
810	1 adjustable shelf	75	-	70.633.XXX

**i**  

When ordering a drawer cabinet on these two pages with **Code Lock**, please add the suffix „C” to the article number in the table (e.g. **78.467.XXX.C**).

**S** **LISTA quick delivery range**  
 These LISTA products in the colours light blue (.010) and light grey (.020) are available ex-works at short notice.

**.010** Light blue RAL 5012    **.020** Light grey RAL 7035



# Drawer cabinets | stationary and mobile



Art. no. **14.505.514.C**  
 Housing: Light grey, RAL 7035  
 Fronts: Light blue, RAL 5012  
 (excluding partition material)

**36 x 36 E**    **W** → **717 mm**    **D** ↗ **725 mm**

 612 x 612 mm

**H** ↑ **Number of drawers mm**      Art. no. 

**800**    **4:** 1x100 / 2x150 / 1x300    75    Key Lock    **78.632.XXX**

**800**    **6:** 2x75 / 2x100 / 1x150 / 1x200    75    Key Lock    **78.636.XXX**

**850**    **4:** 1x100 / 1x150 / 1x200 / 1x300    75    Key Lock    **79.382.XXX**

**850**    **4:** 1x100 / 1x150 / 1x200 / 1x300    200    Key Lock    **79.498.XXX**

**850**    **5:** 1x50 / 2x100 / 1x200 / 1x300    75    Key Lock    **14.411.XXX**

**850**    **5:** 1x50\* / 2x100 / 1x200 / 1x300    200    Key Lock    **14.505.XXX**

**850**    **5:** 1x100 / 3x150 / 1x200    75    Key Lock    **14.410.XXX**

**850**    **5:** 1x100 / 3x150 / 1x200    200    Key Lock    **14.504.XXX**

**850**    **7:** 1x50 / 2x75 / 2x100 / 1x150 / 1x200    75    Key Lock    **78.640.XXX**

**850**    **7:** 1x50\* / 2x75 / 2x100 / 1x150 / 1x200    200    Key Lock    **78.642.XXX**

**850**    **7:** 2x75 / 3x100 / 2x150    75    Key Lock    **14.409.XXX**

**850**    **7:** 2x75 / 3x100 / 2x150    200    Key Lock    **14.503.XXX**

**850**    **8:** 1x50 / 2x75 / 4x100 / 1x150    75    Key Lock    **14.408.XXX**

**850**    **8:** 1x50\* / 2x75 / 4x100 / 1x150    200    Key Lock    **14.502.XXX**

**S**  
**S**

**S**  
**S**  
**S**  
**S**

**i**  

When ordering a drawer cabinet on these two pages with Code Lock, please add the suffix „C“ to the article number in the table (e.g. **78.467.XXX.C**).

**S** **LISTA quick delivery range**

These LISTA products in the colours light blue (.010) and light grey (.020) are available ex-works at short notice.

 Light blue RAL 5012     Light grey RAL 7035

\* Load capacity max. 75 kg

 = load capacity  
 = locking system



**S** Art. no. **18.205.010**  
Light blue, RAL 5012  
(excluding partition material)



Art. no. **13.106.522**  
Housing: Ruby red, RAL 3003  
Fronts: Metallic grey, NCS S 6502-B  
(excluding partition material)

**36 x 36 E** **W** → 717 mm **D** ↗ 725 mm

612 x 612 mm

H ↑	Number of drawers mm	Key Lock	Art. no.
1000	6: 1x50 / 3x150 / 2x200	75	14.417.XXX
1000	6: 1x50* / 3x150 / 2x200	200	14.510.XXX
1000	6: 1x100 / 4x150 / 1x200	75	14.415.XXX
1000	6: 1x100 / 4x150 / 1x200	200	14.509.XXX
1000	7: 1x50 / 2x75 / 2x100 / 1x200 / 1x300	75	14.416.XXX
1000	7: 1x50* / 2x75 / 2x100 / 1x200 / 1x300	200	18.205.XXX
1000	8: 1x50 / 2x75 / 2x100 / 2x150 / 1x200	75	14.414.XXX
1000	8: 1x50* / 2x75 / 2x100 / 2x150 / 1x200	200	14.508.XXX
1000	8: 2x75 / 3x100 / 3x150	75	14.412.XXX
1000	8: 2x75 / 3x100 / 3x150	200	14.506.XXX
1000	9: 9x100	75	78.648.XXX
1000	9: 9x100	200	78.650.XXX
1000	10: 1x50 / 2x75 / 7x100	75	14.413.XXX
1000	10: 1x50* / 2x75 / 7x100	200	14.507.XXX
1450	9: 2x75 / 2x100 / 2x150 / 2x200 / 1x300	75	78.309.XXX
1450	9: 2x75 / 2x100 / 2x150 / 2x200 / 1x300	200	14.511.XXX
1450	9: 3x100 / 5x150 / 1x300	75	78.311.XXX
1450	9: 3x100 / 5x150 / 1x300	200	13.106.XXX
1450	10: 1x50 / 5x100 / 4x200	75	78.313.XXX
1450	10: 1x50* / 5x100 / 4x200	200	14.512.XXX
962	5: 1x50 / 2x100 / 1x150 / 1x200	75	78.652.XXX
1112	7: 2x75 / 2x100 / 2x125 / 1x150	75	78.666.XXX
1112	8: 4x75 / 3x100 / 1x150	75	78.668.XXX

**S**  
**S**  
**S**  
**S**  
**S**  
**S**

**Mobile cabinets**

All mobile drawer cabinets on this page are equipped with:  
1 raised edge on 4 sides and ribbed mat,  
1 push-bar,  
1 pair castor holders with rubber castors Ø 160 mm, Drawer safety catch on right, Load capacity 600 kg

**S**  
**S**



Art. no. **78.668.090**  
Gentian blue, RAL 5010  
(excluding partition material)



# Drawer cabinets | stationary



Art. no. **78.682.519**  
Housing: Light grey, RAL 7035  
Fronts: Metallic grey, NCS S 6502-B  
(excluding partition material)

**45 x 36 E**

**W → 870 mm**

**D ↗ 725 mm**

765 x 612 mm

**H ↑ Number of drawers mm**

kg

Lock

Art. no.



<b>850</b>	<b>7:</b> 1x50 / 2x75 / 2x100 / 1x150 / 1x200	75	Key Lock	<b>78.686.XXX</b>
<b>850</b>	<b>7:</b> 1x50* / 2x75 / 2x100 / 1x150 / 1x200	200	Key Lock	<b>78.688.XXX</b>
<b>850</b>	<b>7:</b> 2x75 / 2x100 / 2x125 / 1x150	75	Key Lock	<b>78.690.XXX</b>
<b>850</b>	<b>7:</b> 2x75 / 2x100 / 2x125 / 1x150	200	Key Lock	<b>78.692.XXX</b>
<b>850</b>	<b>8:</b> 4x75 / 3x100 / 1x150	75	Key Lock	<b>78.682.XXX</b>
<b>850</b>	<b>8:</b> 4x75 / 3x100 / 1x150	200	Key Lock	<b>78.684.XXX</b>



<b>1000</b>	<b>7:</b> 1x50 / 2x75 / 2x100 / 1x200 / 1x300	75	Key Lock	<b>78.694.XXX</b>
<b>1000</b>	<b>7:</b> 1x50* / 2x75 / 2x100 / 1x200 / 1x300	200	Key Lock	<b>78.696.XXX</b>
<b>1000</b>	<b>8:</b> 1x50 / 2x75 / 3x100 / 1x150 / 1x250**	75	Key Lock	<b>78.698.XXX</b>
<b>1000</b>	<b>8:</b> 1x50* / 2x75 / 3x100 / 1x150 / 1x250	200	Key Lock	<b>78.700.XXX</b>
<b>1000</b>	<b>8:</b> 3x50 / 2x75 / 2x100 / 1x150 / 1x250**	75	Key Lock	<b>78.702.XXX</b>
<b>1000</b>	<b>8:</b> 3x50* / 2x75 / 2x100 / 1x150 / 1x250	200	Key Lock	<b>78.704.XXX</b>



<b>1450</b>	<b>9:</b> 3x100 / 5x150 / 1x300**	75	Key Lock	<b>78.706.XXX</b>
<b>1450</b>	<b>9:</b> 3x100 / 5x150 / 1x300	200	Key Lock	<b>78.708.XXX</b>
<b>1450</b>	<b>9:</b> 9x150	75	Key Lock	<b>78.710.XXX</b>
<b>1450</b>	<b>9:</b> 9x150	200	Key Lock	<b>78.712.XXX</b>
<b>1450</b>	<b>13:</b> 4x75 / 6x100 / 3x150	75	Key Lock	<b>78.714.XXX</b>
<b>1450</b>	<b>13:</b> 4x75 / 6x100 / 3x150	200	Key Lock	<b>78.716.XXX</b>

\* Load capacity max. 75 kg

\*\* Load capacity 200 kg

**i**



When ordering a drawer cabinet on these two pages with **Code Lock**, please add the suffix „C” to the article number in the table (e.g. **78.467.XXX.C**).



Art. no. **78.716.010**  
Light blue, RAL 5012  
(excluding partition material)

= load capacity  
 = locking system



Art. no. **78.297.180.C**  
Grey white, RAL 9002  
(excluding partition material)

**54 x 36 E** **W** → 1023 mm **D** ↗ 725 mm

 918 x 612 mm



<b>H</b> ↑	Number of drawers mm	kg	Lock	Art. no.
850	5: 3x100 / 1x150 / 1x300**	75	Key Lock	<b>78.796.XXX</b>
850	5: 3x100 / 1x150 / 1x300	200	Key Lock	<b>78.798.XXX</b>
850	6: 2x75 / 2x100 / 1x150 / 1x250**	75	Key Lock	<b>78.800.XXX</b>
850	6: 2x75 / 2x100 / 1x150 / 1x250	200	Key Lock	<b>78.802.XXX</b>
850	7: 1x50 / 2x75 / 2x100 / 1x150 / 1x200	75	Key Lock	<b>78.804.XXX</b>
850	7: 1x50* / 2x75 / 2x100 / 1x150 / 1x200	200	Key Lock	<b>78.806.XXX</b>
1000	5: 2x100 / 2x200 / 1x300**	75	Key Lock	<b>79.390.XXX</b>
1000	5: 2x100 / 2x200 / 1x300	200	Key Lock	<b>79.392.XXX</b>
1000	6: 1x100 / 4x150 / 1x200	75	Key Lock	<b>78.291.XXX</b>
1000	6: 1x100 / 4x150 / 1x200	200	Key Lock	<b>14.515.XXX</b>
1000	7: 1x50 / 2x75 / 2x100 / 1x200 / 1x300**	75	Key Lock	<b>78.292.XXX</b>
1000	7: 1x50* / 2x75 / 2x100 / 1x200 / 1x300	200	Key Lock	<b>14.516.XXX</b>
1000	8: 1x50 / 2x75 / 2x100 / 2x150 / 1x200	75	Key Lock	<b>78.293.XXX</b>
1000	8: 1x50* / 2x75 / 2x100 / 2x150 / 1x200	200	Key Lock	<b>12.541.XXX</b>
1000	8: 2x75 / 3x100 / 3x150	75	Key Lock	<b>78.294.XXX</b>
1000	8: 2x75 / 3x100 / 3x150	200	Key Lock	<b>14.513.XXX</b>
1000	10: 1x50 / 2x75 / 7x100	75	Key Lock	<b>78.295.XXX</b>
1000	10: 1x50* / 2x75 / 7x100	200	Key Lock	<b>14.514.XXX</b>
1450	9: 2x75 / 2x100 / 2x150 / 2x200 / 1x300**	75	Key Lock	<b>78.296.XXX</b>
1450	9: 2x75 / 2x100 / 2x150 / 2x200 / 1x300	200	Key Lock	<b>12.550.XXX</b>
1450	9: 3x100 / 5x150 / 1x300**	75	Key Lock	<b>78.297.XXX</b>
1450	9: 3x100 / 5x150 / 1x300	200	Key Lock	<b>14.518.XXX</b>
1450	10: 1x50 / 5x100 / 4x200	75	Key Lock	<b>78.298.XXX</b>
1450	10: 1x50* / 5x100 / 4x200	200	Key Lock	<b>14.519.XXX</b>

**S**  
**S**  
**S**  
**S**  
**S**  
**S**  
**S**  
**S**  
**S**  
**S**

**S** **LISTA quick delivery range**  
These LISTA products in the colours light blue (.010) and light grey (.020) are available ex-works at short notice.

**.010** Light blue RAL 5012      **.020** Light grey RAL 7035



Art. no. **14.516.514**  
Housing: Light grey, RAL 7035  
Fronts: Light blue, RAL 5012  
(excluding partition material)

# Drawer cabinets | stationary



**64 x 36 E**

**W** → 1193 mm

**D** ↗ 725 mm

1088 x 612 mm



	<b>H</b> ↑	Number of drawers mm	kg	Locking system	Color
<b>1000</b>	<b>7:</b>	2x75 / 2x100 / 1x150** / 2x200**	75	Key Lock	<b>78.826.XXX</b>
<b>1000</b>	<b>7:</b>	2x75 / 2x100 / 1x150 / 2x200	200	Key Lock	<b>78.828.XXX</b>
<b>1000</b>	<b>8:</b>	2x75 / 4x100 / 1x150** / 1x200**	75	Key Lock	<b>78.830.XXX</b>
<b>1000</b>	<b>8:</b>	2x75 / 4x100 / 1x150 / 1x200	200	Key Lock	<b>78.832.XXX</b>
<b>1000</b>	<b>8:</b>	2x75 / 3x100 / 3x150**	75	Key Lock	<b>78.834.XXX</b>
<b>1000</b>	<b>8:</b>	2x75 / 3x100 / 3x150	200	Key Lock	<b>78.836.XXX</b>
<b>1450</b>	<b>10:</b>	2x150 / 1x125 / 1x75 / 3x100 / 1x150 / 2x200	200	Key Lock	<b>78.838.XXX</b>
<b>1450</b>	<b>11:</b>	1x150 / 1x125 / 1x75 / 5x100 / 2x150 / 1x200	200	Key Lock	<b>78.840.XXX</b>
<b>1450</b>	<b>12:</b>	1x150 / 1x125 / 3x75 / 5x100 / 1x150 / 1x200	200	Key Lock	<b>78.842.XXX</b>

\*\* Load capacity 200 kg

Art. no. **78.842.514**  
 Housing: Light grey, RAL 7035  
 Fronts: Light blue, RAL 5012  
 (excluding partition material)

= load capacity  
 = locking system



Art. no. **78.868.512**  
 Housing: Light grey, RAL 7035  
 Fronts: Ruby red, RAL 3003  
 (excluding partition material)

**78 x 36 E**    **W** → 1431 mm    **D** ↗ 725 mm

1326 x 612 mm



<b>H</b> ↑	Number of drawers mm			
1000	5: 2x100 / 2x200** / 1x300**	75	Key Lock	79.492.XXX
1000	5: 2x100 / 2x200 / 1x300	200	Key Lock	79.494.XXX
1000	7: 2x75 / 2x100 / 1x150** / 2x200**	75	Key Lock	78.856.XXX
1000	7: 2x75 / 2x100 / 1x150 / 2x200	200	Key Lock	78.858.XXX
1000	8: 2x75 / 4x100 / 1x150** / 1x200**	75	Key Lock	78.860.XXX
1000	8: 2x75 / 4x100 / 1x150 / 1x200	200	Key Lock	78.862.XXX
1450	10: 2x150 / 1x125 / 1x75 / 3x100 / 1x150 / 2x200	200	Key Lock	78.868.XXX
1450	11: 1x150 / 1x125 / 1x75 / 5x100 / 2x150 / 1x200	200	Key Lock	78.870.XXX
1450	12: 1x150 / 1x125 / 3x75 / 5x100 / 1x150 / 1x200	200	Key Lock	78.872.XXX

**i**

When ordering a drawer cabinet on these two pages with **Code Lock**, please add the suffix „**C**“ to the article number in the table (e.g. **78.467.XXX.C**).



# Drawer cabinets | freely configurable

## 1. Cabinet housing with locking systems

To lock all drawers simultaneously, the cabinet housing can be customised with the electronic Key Lock or Code Lock.

### Housing with Key Lock

The standard locking system with replaceable cylinders makes it easy to adapt to existing locking systems. The lock secures all drawers at the same time.



### Housing with Code Lock

Here the lock is replaced by a numeric combination. A simple four to six-digit numeric combination is sufficient to open the drawer cabinets.



**i** When ordering a cabinet housing with Code Lock, please add the suffix „C“ to the article number in the table (e.g. 71.088.XXX.C).

## 2. Drawers

Drawers with different front heights can be incorporated into the same cabinet housing in any order. The insides of the drawer walls are all fitted with a slotted grid in units (E) of 17 mm, which means each drawer can be partitioned as required.



### Drawer safety catches

**Standard:** standard model including single drawer safety catch (all article numbers from the table).

**Safety catch on right:** the minimum requirement for mobile drawer cabinets. One-sided drawer safety catch on the right can be released with one hand and prevents accidental opening of drawers even if the cabinet is unlocked.

**i** When ordering a single safety catch on the right, please add the suffix „R“ to the article number in the table (e.g. 72.034.XXX.R).

### Ordering tips

When selecting drawers, the clear height of the cabinet housing defines the size. The sum of the drawer front heights (C) must be equal to the clear height (B) (see diagram).



**3. For further accessories** ➤ see next page

**4. Partition material** ➤ for drawers see p. 166 ff.

		Depth 27 E			
Lista Units		18 x 27 E	27 x 27 E	36 x 27 E	54 x 27 E
Cabinet floor area mm					
<b>W</b> ➔ x <b>D</b> ➔		411 x 572 mm	564 x 572 mm	717 x 572 mm	1023 x 572 mm
<b>H</b> ↑ mm	Clear Height mm	Art. no.	Art. no.	Art. no.	Art. no.
283	200	71.059.XXX	71.070.XXX	○	○
383	300	71.060.XXX	71.071.XXX	○	○
533	450	71.061.XXX	71.072.XXX	○	○
650	550	71.062.XXX	71.073.XXX	○	○
700	600	71.063.XXX	71.074.XXX	71.086.XXX	71.102.XXX
800	700	○	71.075.XXX	○	○
850	750	71.401.XXX	71.076.XXX	71.087.XXX	71.103.XXX
1000	900	71.064.XXX	71.077.XXX	71.088.XXX	71.104.XXX
1150	1050	○	○	○	○
1325	1225	○	○	○	○
1450	1350	○	○	71.089.XXX	71.105.XXX
1625	1525	○	○	○	○


○ = on request

		Depth 27 E			
Lista Units		18 x 27 E	27 x 27 E	36 x 27 E	54 x 27 E
75 kg Load capacity					
Drawer usable surface mm					
<b>W</b> ➔ x <b>D</b> ➔		306 x 459 mm	459 x 459 mm	612 x 459 mm	918 x 459 mm
<b>H</b> ↑ mm	Usable height Shell height	Art. no.	Art. no.	Art. no.	Art. no.
50*	32,5 28,5	72.000.XXX	72.012.XXX	72.042.XXX	72.080.XXX
75	57,5 49	72.001.XXX	72.013.XXX	72.043.XXX	72.505.XXX
100	82,5 76	72.002.XXX	72.015.XXX	72.045.XXX	72.506.XXX
125	107,5 76	-	72.017.XXX	72.047.XXX	72.507.XXX
150	132,5 126	72.003.XXX	72.019.XXX	72.049.XXX	72.508.XXX
200	182,5 176	72.004.XXX	72.021.XXX	72.051.XXX	72.509.XXX
250	232,5 226	-	72.023.XXX	72.053.XXX	-
300	282,5 276	72.005.XXX	72.025.XXX	72.055.XXX	-


		* Drawers with a front height of 50 mm must be placed in the top position			
200 kg Load capacity					
<b>H</b> ↑ mm	Usable height Shell height	Art. no.	Art. no.	Art. no.	Art. no.
75	57,5 49	-	72.014.XXX	72.044.XXX	72.081.XXX
100	82,5 76	-	72.016.XXX	72.046.XXX	72.082.XXX
125	107,5 76	-	72.018.XXX	72.048.XXX	72.083.XXX
150	132,5 126	-	72.020.XXX	72.050.XXX	72.084.XXX
200	182,5 176	-	72.022.XXX	72.052.XXX	72.085.XXX
250	232,5 226	-	72.024.XXX	72.054.XXX	72.086.XXX
300	282,5 276	-	72.026.XXX	72.056.XXX	72.087.XXX

For filling and loading the drawers and drawer cabinets, please follow the installation manual and the loading guidelines. Load capacity applies to evenly distributed load.

Depth 36 E



411 x 725 mm	564 x 725 mm	717 x 725 mm	870 x 725 mm	1023 x 725 mm	1193 x 725 mm	1431 x 725 mm
Art. no.  71.065.XXX	Art. no.  71.078.XXX	Art. no.  ○	Art. no.  ○	Art. no.  ○	Art. no.  ○	Art. no.  ○
71.066.XXX	71.079.XXX	○	○	○	○	○
71.067.XXX	71.080.XXX	○	○	○	○	○
71.068.XXX	71.081.XXX	○	○	○	○	○
71.069.XXX	71.082.XXX	71.090.XXX	71.098.XXX	71.106.XXX	71.110.XXX	71.114.XXX
○	71.083.XXX	71.091.XXX	○	○	○	○
71.407.XXX	71.084.XXX	71.092.XXX	71.099.XXX	71.107.XXX	71.416.XXX	71.421.XXX
71.408.XXX	71.085.XXX	71.093.XXX	71.100.XXX	71.108.XXX	71.111.XXX	71.115.XXX
○	○	71.094.XXX	○	○	○	○
○	○	71.095.XXX	○	○	71.112.XXX	71.116.XXX
○	○	71.096.XXX	71.101.XXX	71.109.XXX	71.113.XXX	71.117.XXX
○	○	71.097.XXX	○	○	○	○



306 x 612 mm	459 x 612 mm	612 x 612 mm	765 x 612 mm	918 x 612 mm	1088 x 612 mm	1326 x 612 mm
Art. no.  72.006.XXX	Art. no.  72.027.XXX	Art. no.  72.057.XXX	Art. no.  72.072.XXX	Art. no.  72.088.XXX	Art. no.  -	Art. no.  -
72.007.XXX	72.028.XXX	72.058.XXX	72.540.XXX	72.510.XXX	72.515.XXX	72.517.XXX
72.008.XXX	72.030.XXX	72.060.XXX	72.541.XXX	72.511.XXX	72.516.XXX	72.518.XXX
-	72.032.XXX	72.062.XXX	72.542.XXX	72.512.XXX	-	-
72.009.XXX	72.034.XXX	72.064.XXX	72.543.XXX	72.513.XXX	-	-
72.010.XXX	72.036.XXX	72.066.XXX	72.544.XXX	72.514.XXX	-	-
-	72.038.XXX	72.068.XXX	-	-	-	-
72.011.XXX	72.040.XXX	72.070.XXX	-	-	-	-
-	72.029.XXX	72.059.XXX	72.073.XXX	72.089.XXX	72.096.XXX	72.103.XXX
-	72.031.XXX	72.061.XXX	72.074.XXX	72.090.XXX	72.097.XXX	72.104.XXX
-	72.033.XXX	72.063.XXX	72.075.XXX	72.091.XXX	72.098.XXX	72.105.XXX
-	72.035.XXX	72.065.XXX	72.076.XXX	72.092.XXX	72.099.XXX	72.106.XXX
-	72.037.XXX	72.067.XXX	72.077.XXX	72.093.XXX	72.100.XXX	72.107.XXX
-	72.039.XXX	72.069.XXX	72.078.XXX	72.094.XXX	72.101.XXX	72.108.XXX
-	72.041.XXX	72.071.XXX	72.079.XXX	72.095.XXX	72.102.XXX	72.109.XXX





## Recessed hinged doors for pull-out and adjustable shelves

Made from sheet steel as a front closing option for the pull-out and adjustable shelves built into the housing beneath the drawers. The sum of the hinged door front heights and all drawer front heights must be equal to the clear height of the cabinet housing.



## Pull-out and adjustable shelves for recessed doors

Made from steel sheet, pigeon grey, NCS S 4502-B. Load capacity of pull-out shelf 75 kg, adjustable shelf 200 kg. Thanks to the 25 mm increments in the vertical supports of the cabinet housings, different shelves can be fitted in the same housing in any order.



## Raised edges on 3 sides and ribbed mat

Made from sheet steel, black, NCS S 9000-N, including ribbed mat, black.



## Cover panel, resin-coated

Surface and edging light grey, NCS S 1500-N, laminated chipboard (quality class E1), with melamine coating on both sides (manufactured according to standard EN 14322). 2 mm thick plastic edging on all sides. Including pre-drilled holes and fastening material.



## Multiplex cover panel

Made of steamed beech veneers, glued in multiple layers and waterproof (DIN 68 705), bevelled edges, sanded, oiled and waxed surface. The panel is splash-proof, dirt-repellent and largely impervious to oil and grease. Including pre-drilled holes and fastening material.



## Housing base

Made from sheet steel, as height compensation, black, NCS S 9000-N.



## 2-way pallet/forklift truck base

Made from sheet steel for screwing to the underside of the housing, black, NCS S 9000-N. **Base cover only** for attaching as a cover on the front or rear.



## Raised edges on 4 sides, with push-bar

Made from sheet steel, black, NCS S 9000-N, including ribbed mat, black. Push-bar consisting of a pair of plastic handle grips, RAL 9006 white aluminium, and aluminium tube Ø 25 mm, clear anodised.



## Pair of castor holders

Consisting of 2 swivel castors with brakes and 2 fixed castors. Castor holders, sendzimir galvanised. Nylon castors black, rubber castors grey.



**!** For safety reasons, mobile drawer cabinets must be fitted with a push-bar and a single drawer safety catch.

Depth 27 E

Lista Units

18 x 27 E

27 x 27 E

	Art. no.	Art. no.
<b>Hinged doors, recessed*</b>		
Mounted on the right H 450 mm	<b>74.110.XXX</b>	<b>74.112.XXX</b>
Mounted on the right H 600 mm	<b>74.111.XXX</b>	<b>74.113.XXX</b>
Mounted on the left H 450 mm	<b>74.122.XXX</b>	<b>74.126.XXX</b>
Mounted on the left H 600 mm	<b>74.123.XXX</b>	<b>74.127.XXX</b>
+ cylinders with different keys	<b>222.376.000</b>	

\* without cylinder; please order this separately

<b>Adjustable shelf, H 75 mm</b>	<b>74.005.000</b>	<b>74.009.000</b>
Usable dimensions (W x D mm)	350 x 465	503 x 465
<b>Pull-out shelf, H 100 mm</b>	<b>74.004.000</b>	<b>74.008.000</b>
Usable dimensions (W x D mm)	281 x 459	434 x 459

<b>Raised edge with ribbed mat</b>	<b>74.023.000</b>	<b>74.025.000</b>
Dimensions (W x D x H mm)	411 x 572 x 20	564 x 572 x 20
<b>Ribbed mat only</b>	<b>74.012.000</b>	<b>74.014.000</b>
Dimensions (W x D x H mm)	406 x 567 x 3	559 x 567 x 3

<b>Resin-coated cover panel</b>	<b>74.140.000</b>	<b>17.268.000</b>
Dimensions (W x D x H mm)	411 x 572 x 22	564 x 572 x 22
<b>Multiplex cover panel</b>	<b>12.590.000</b>	<b>12.592.000</b>
Dimensions (W x D x H mm)	411 x 572 x 20	564 x 572 x 20

<b>Housing base, H 50 mm</b>	<b>74.045.000</b>	<b>74.049.000</b>
Dimensions (W x D mm)	411 x 540	564 x 540
<b>Housing base, H 100 mm</b>	<b>74.046.000</b>	<b>74.050.000</b>
Dimensions (W x D mm)	411 x 540	564 x 540

<b>Base, without cover, H 100 mm</b>	-	-
Dimensions (W x D mm)		
<b>Cover only, H 100 mm</b>	-	-

<b>Raised edge, H 53 mm</b>	<b>74.034.000</b>	<b>74.036.000</b>
Dimensions (W x D mm)/ Direction of travel	411 x 572/ lengthwise	564 x 572/ lengthwise

<b>with nylon castors*</b> , Ø 100 mm	<b>74.071.000</b>	<b>74.071.000</b>
H/Load capacity kg/ Direction of travel	137/400/ lengthwise	137/400/ lengthwise

<b>with rubber castors*</b> Ø 100 mm	<b>74.072.000</b>	<b>74.072.000</b>
H/Load capacity kg/ Direction of travel	137/400/ lengthwise	137/400/ lengthwise

<b>with rubber castors*</b> , Ø 160 mm	-	<b>74.075.000</b>
H/Load capacity kg/ Direction of travel		209/600/ lengthwise

\*depending on the properties of the floor.

www.lista.com © 2015

Depth 27 E		Depth 36 E						
36 x 27 E	54 x 27 E	18 x 36 E	27 x 36 E	36 x 36 E	45 x 36 E	54 x 36 E	64 x 36 E	78 x 36 E
Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
<b>74.128.XXX</b>	-	<b>74.110.XXX</b>	<b>74.112.XXX</b>	<b>74.128.XXX</b>	-	-	-	-
<b>74.129.XXX</b>	-	<b>74.111.XXX</b>	<b>74.113.XXX</b>	<b>74.129.XXX</b>	-	-	-	-
<b>74.130.XXX</b>	-	<b>74.122.XXX</b>	<b>74.126.XXX</b>	<b>74.130.XXX</b>	-	-	-	-
<b>74.131.XXX</b>	-	<b>74.123.XXX</b>	<b>74.127.XXX</b>	<b>74.131.XXX</b>	-	-	-	-
<b>222.376.000</b>	-	<b>222.376.000 000,-</b>						
<b>74.105.000</b> 656 x 465	-	<b>74.007.000</b> 350 x 618	<b>74.011.000</b> 503 x 618	<b>74.106.000</b> 656 x 618	-	-	-	-
-	-	<b>74.006.000</b> 281 x 612	<b>74.010.000</b> 434 x 612	-	-	-	-	-
<b>74.027.000</b> 717 x 572 x 20	<b>74.030.000</b> 1023 x 572 x 20	<b>74.024.000</b> 411 x 725 x 20	<b>74.026.000</b> 564 x 725 x 20	<b>74.028.000</b> 717 x 725 x 20	<b>74.029.000</b> 870 x 725 x 20	<b>74.031.000</b> 1023 x 725 x 20	<b>74.032.000</b> 1193 x 725 x 20	<b>74.033.000</b> 1431 x 725 x 20
<b>74.016.000</b> 712 x 567 x 3	<b>74.019.000</b> 1018 x 567 x 3	<b>74.013.000</b> 406 x 720 x 3	<b>74.015.000</b> 559 x 720 x 3	<b>74.017.000</b> 712 x 720 x 3	<b>74.018.000</b> 865 x 720 x 3	<b>74.020.000</b> 1018 x 720 x 3	<b>74.021.000</b> 1188 x 720 x 3	<b>74.022.000</b> 1426 x 720 x 3
<b>17.270.000</b> 717 x 572 x 22	<b>74.143.000</b> 1023 x 572 x 22	<b>74.141.000</b> 411 x 725 x 22	<b>17.269.000</b> 564 x 725 x 22	<b>17.271.000</b> 717 x 725 x 22	<b>74.142.000</b> 870 x 725 x 22	<b>74.144.000</b> 1023 x 725 x 22	<b>74.145.000</b> 1193 x 725 x 22	<b>74.146.000</b> 1431 x 725 x 22
<b>12.594.000</b> 717 x 572 x 20	<b>12.597.000</b> 1023 x 572 x 20	<b>12.591.000</b> 411 x 725 x 20	<b>12.593.000</b> 564 x 725 x 20	<b>12.595.000</b> 717 x 725 x 20	<b>12.596.000</b> 870 x 725 x 20	<b>12.598.000</b> 1023 x 725 x 20	<b>12.599.000</b> 1193 x 725 x 20	<b>12.600.000</b> 1431 x 725 x 20
<b>74.053.000</b> 717 x 540	<b>74.057.000</b> 1023 x 540	<b>74.047.000</b> 411 x 693	<b>74.051.000</b> 564 x 693	<b>74.055.000</b> 717 x 693	<b>74.056.000</b> 870 x 693	<b>74.058.000</b> 1023 x 693	<b>74.059.000</b> 1193 x 693	<b>74.060.000</b> 1431 x 693
<b>74.054.000</b> 717 x 540	-	<b>74.048.000</b> 411 x 693	<b>74.052.000</b> 564 x 693	-	-	-	-	-
<b>74.061.000</b> 717 x 506	<b>74.064.000</b> 1023 x 506	-	-	<b>74.062.000</b> 717 x 659	<b>74.063.000</b> 870 x 659	<b>74.065.000</b> 1023 x 659	<b>74.065.000</b> 1193 x 659	<b>74.065.000</b> 1431 x 659
<b>74.066.000</b>	<b>74.068.000</b>	-	-	<b>74.066.000</b>	<b>74.067.000</b>	<b>74.068.000</b>	<b>74.069.000</b>	<b>74.070.000</b>
<b>74.038.000</b> 717 x 572/ crosswise	<b>74.041.000</b> 1023 x 572/ crosswise	<b>74.035.000</b> 411 x 725/ lengthwise	<b>74.037.000</b> 564 x 725/ lengthwise	<b>74.039.000</b> 717 x 725/ lengthwise	<b>74.040.000</b> 870 x 725/ crosswise	<b>74.042.000</b> 1023 x 725/ crosswise	<b>74.043.000</b> 1193 x 725/ crosswise	<b>74.044.000</b> 1431 x 725/ crosswise
<b>74.077.000</b> 137/400/ crosswise	<b>74.077.000</b> 137/400/ crosswise	<b>74.073.000</b> 137/400/ lengthwise	<b>74.073.000</b> 137/400/ lengthwise	<b>74.073.000</b> 137/400/ lengthwise	<b>74.080.000</b> 137/400/ crosswise	<b>74.080.000</b> 137/400/ crosswise	<b>74.080.000</b> 137/400/ crosswise	<b>74.080.000</b> 137/400/ crosswise
<b>74.078.000</b> 137/400/ crosswise	<b>74.078.000</b> 137/400/ crosswise	<b>74.074.000</b> 137/400/ lengthwise	<b>74.074.000</b> 137/400/ lengthwise	<b>74.074.000</b> 137/400/ lengthwise	<b>74.081.000</b> 137/400/ crosswise	<b>74.081.000</b> 137/400/ crosswise	<b>74.081.000</b> 137/400/ crosswise	<b>74.081.000</b> 137/400/ crosswise
<b>74.079.000</b> 209/600/ crosswise	<b>74.079.000</b> 209/600/ crosswise	-	<b>74.076.000</b> 209/600/ lengthwise	<b>74.076.000</b> 209/600/ lengthwise	<b>74.082.000</b> 209/600/ crosswise	<b>74.082.000</b> 209/600/ crosswise	<b>74.082.000</b> 209/600/ crosswise	<b>74.082.000</b> 209/600/ crosswise



## Drawer cabinets | with hinged or sliding doors

**LISTA drawer cabinets with hinged or sliding doors are ideal for large and heavy inventory items.** The doors enable tall items to be safely locked away and protected from dirt, damage and unauthorised access. The flexible inner partitioning options and a variety of locking systems ensure that you have the best solution for your needs – all with lots of clever details and a 10-year guarantee. Just as you would expect from LISTA.

**+ Additional storage space and work surfaces**  
through non-slip, easy-to-clean covers with raised edges all round

**>> Benefits of LISTA drawer cabinets**  
see p. 14/15

**>> Drawer cabinets with hinged or sliding doors for NC storage**  
see p. 42 / 43 and 68 / 69



**+ Ideal for large and heavy inventory items up to 200 kg / drawer**

with pull-out shelves for flush storage

**+ Securely lockable**

with a choice of hinged doors or space-saving sliding doors

**+ Can be adapted to new storage items at any time**

because drawers, pull-out shelves and adjustable shelves can be flexibly added or modified in 25 mm increments

**+ Can easily be moved with a forklift truck**

even with loaded cabinets, by using forklift truck bases

# Drawer cabinets | with hinged or sliding doors



Art. no. **79.432.512**  
Housing: Light grey, RAL 7035  
Fronts: Ruby red, RAL 3003



**36 x 27 E**    **W** → 717 mm    **D** ↗ 600 mm

612 x 459 mm



H mm	Drawers mm	Pull-out shelves	kg	Locking system	Art. no.
1020	1x75	2	75	Key Lock	79.400.XXX
1020	1x75	2	200	Key Lock	79.402.XXX
1020	2x75	1	75	Key Lock	79.404.XXX
1020	2x75	1	200	Key Lock	79.406.XXX
1020	3x75	1	75	Key Lock	79.408.XXX
1020	3x75	1	200	Key Lock	79.410.XXX
1020	3x75	2	75	Key Lock	79.412.XXX
1020	3x75	2	200	Key Lock	79.414.XXX
1020	4x75	-	75	Key Lock	79.416.XXX
1020	4x75	-	200	Key Lock	79.418.XXX
1020	5x75	-	75	Key Lock	79.420.XXX
1020	5x75	-	200	Key Lock	79.422.XXX

## Equipment

All drawer cabinets with a height of 1020 mm on these two pages are equipped with: 3 raised sides, 20 mm high, including ribbed mat.



Art. no. **79.412.512**  
Housing: Light grey, RAL 7035  
Fronts: Ruby red, RAL 3003  
(excluding partition material)

**2 x 36 x 27 E**    **W** → 1430 mm    **D** ↗ 627 mm

612 x 459 mm



H mm	Drawers mm	Pull-out shelves	kg	Locking system	Art. no.
1020	2x75	6	75	Key Lock	79.424.XXX
1020	2x75	6	200	Key Lock	79.425.XXX
1020	4x75	2	75	Key Lock	79.426.XXX
1020	4x75	2	200	Key Lock	79.427.XXX
1020	6x75	2	75	Key Lock	79.428.XXX
1020	6x75	2	200	Key Lock	79.429.XXX
1020	8x75	-	75	Key Lock	79.430.XXX
1020	8x75	-	200	Key Lock	79.431.XXX
1020	4x75	4	75	Key Lock	79.432.XXX
1020	4x75	4	200	Key Lock	79.433.XXX
1020	10x75	-	75	Key Lock	79.434.XXX
1020	10x75	-	200	Key Lock	79.435.XXX



## 2-way pallet/forklift truck base

Made from sheet steel for screwing to the underside of the housing, black, NCS S 9000-N. **Base cover only** for attaching as a cover on the front or rear.

**Base for hinged door cabinet**    **74.061.000**  
Dimensions (W x D x H mm)    717 x 506 x 100

**Cover only, for hinged door cabinet**    **74.066.000**

**Base for sliding door cabinet**    **12.505.000**  
Dimensions (W x D x H mm)    1430 x 560 x 100

**Cover only, for sliding door cabinet**    **74.070.000**



Art. no. **79.460.180**  
Grey white, RAL 9002  
(excluding partition material)



NC tool holders and insert frames see p. 68/69

**i**  When ordering a drawer cabinet with hinged doors on these two pages with Code Lock, please add the suffix „C” to the article number in the table (e.g. **79.456.XXX.C**).

**36 x 36 E**    **W** → 717 mm    **D** ↗ 753 mm

 612 x 612 mm



H ↑ mm	Drawer top mm	Drawers mm	Pull-out shelves			Art. no. 
1020	-	2 x 75	2	75	Key Lock	<b>78.222.XXX</b>
1020	-	2 x 75	2	200	Key Lock	<b>79.436.XXX</b>
1020	2 adjustable shelves		2	75	Key Lock	<b>78.220.XXX</b>
1020	2 adjustable shelves		2	200	Key Lock	<b>79.454.XXX</b>
1020	-	4 x 75	1	75	Key Lock	<b>79.446.XXX</b>
1020	-	4 x 75	1	200	Key Lock	<b>79.448.XXX</b>
1020	1 x 150	2 x 75	2	75	Key Lock	<b>79.456.XXX</b>
1020	1 x 150	2 x 75	2	200	Key Lock	<b>79.458.XXX</b>
1020	1 x 50 / 1 x 100	1 x 75 / 2 x 100	1	75	Key Lock	<b>79.460.XXX</b>
1020	1 x 50 / 1 x 100	1 x 75 / 2 x 100	1	200	Key Lock	<b>79.462.XXX</b>
1020	2 x 75	3 x 75	1	75	Key Lock	<b>79.464.XXX</b>
1020	2 x 75	3 x 75	1	200	Key Lock	<b>79.466.XXX</b>
1450	-	2 x 75 / 1 x 150	2	75	Key Lock	<b>78.256.XXX</b>
1450	-	2 x 75 / 1 x 150	2	200	Key Lock	<b>79.468.XXX</b>
1450	3 adjustable shelves		2	75	Key Lock	<b>78.224.XXX</b>
1450	3 adjustable shelves		2	200	Key Lock	<b>79.470.XXX</b>
1450	-	2 x 75 / 3 x 150	-	75	Key Lock	<b>79.472.XXX</b>
1450	-	2 x 75 / 3 x 150	-	200	Key Lock	<b>79.474.XXX</b>



Art. no. **78.256.010**  
Light blue, RAL 5012



**2-way pallet/forklift truck base**

Description see left-hand page

**Base for hinged door cabinet**    **74.062.000**  
Dimensions (W x D x H mm)    717 x 659 x 100

**Cover only, for hinged door cabinet**    **74.066.000**

**Base for sliding door cabinet**    **12.546.000**  
Dimensions (W x D x H mm)    1430 x 713 x 100

**Cover only, for sliding door cabinet**    **74.070.000**

**2 x 36 x 36 E**    **W** → 1430 mm    **D** ↗ 780 mm

 612 x 612 mm



H ↑ mm	Drawers mm	Pull-out shelves			Art. no. 
1020	4 x 75	2	75	Key Lock	<b>78.259.XXX</b>
1020	4 x 75	2	200	Key Lock	<b>79.482.XXX</b>
1020	4 adjustable shelves	2	75	Key Lock	<b>78.258.XXX</b>
1020	4 adjustable shelves	2	200	Key Lock	<b>79.485.XXX</b>
1020	4 x 75	4	75	Key Lock	<b>79.478.XXX</b>
1020	4 x 75	4	200	Key Lock	<b>79.479.XXX</b>



# Top-mounted cabinets for drawer cabinets

**Lots of storage in a small space: LISTA top-mounted cabinets provide additional storage area when space is at a premium.** The stored items are in plain sight and easy to reach because they are positioned at viewing height. LISTA top-mounted cabinets are perfectly coordinated with our drawer cabinets and made from high-quality steel. In short: the perfect add-on for fast access to tools and equipment supporting continuous improvement processes such as Kaizen and 5S.

- + Extra storage area**  
when space is at a premium
  - + Everything in sight**  
through viewing windows made from UV-resistant shatterproof acrylic glass
  - + Extremely user-friendly**  
since the items stored are within easy reach
  - + Securely lockable**  
with a choice of hinged doors or space-saving sliding doors
  - + Can be adapted to new storage items at any time**  
because adjustable shelves can be flexibly added or converted in 25 mm increments
- >> Benefits of LISTA drawer cabinets**  
see p. 14/15



Lista Units	Depth 27 E			Depth 36 E		
	36 x 27 E	54 x 27 E	78 x 27 E	36 x 36 E	54 x 36 E	78 x 36 E
Cabinet floor area mm	717 x 572 mm	1023 x 572 mm	1431 x 572 mm	717 x 725 mm	1023 x 725 mm	1431 x 725 mm
W → x D ↗						
H ↑ mm						
Clear Height mm						
Adjustable shelves						
Art. no.						
<b>with solid sheet hinged doors</b>						
1000 930 1	62.637.XXX	62.640.XXX	-	62.636.XXX	62.639.XXX	-
<b>with hinged doors with viewing windows</b>						
1000 930 1	-	62.642.XXX	-	-	62.641.XXX	-
<b>with solid sheet sliding doors</b>						
1000 930 1	-	62.644.XXX	62.646.XXX	-	62.643.XXX	62.645.XXX
<b>with sliding doors with viewing windows</b>						
1000 930 1	-	62.648.XXX	62.650.XXX	-	62.647.XXX	62.649.XXX



**Multiplex cover panels**


To match combination with drawer cabinet depth 36 E (as bottom cabinet) with top-mounted cabinet depth 27 E. Including pre-drilled holes and fastening material.



**Adjustable shelves, plain**

Adjustable shelves including 4 shelf supports. Specification: steel sheet, galvanised. Long sides folded by 4 x 90°. 30 mm thick, load capacity 60 kg. Adjustable in increments of 25 mm.

Suitable for	36 x 27 E	54 x 27 E	78 x 27 E	36 x 36 E	54 x 36 E	78 x 36 E
Art. no.						
<b>Cover panel, H 20 mm</b>	62.695.000	62.696.000	62.697.000	-	-	-
<b>Adjustable shelf, H 30 mm</b> Usable dimensions (W x D mm)	62.606.000 695 x 497	62.593.000 1001 x 497	62.607.000 1409 x 497	62.609.000 695 x 650	62.608.000 1001 x 650	62.610.000 1409 x 650



**Locking systems**

The standard **Key Lock** locking system with replaceable cylinders allows easy adaptation to existing locking systems. Further locking systems, e.g. Code Lock and electronic locking via RFID transponder on request.



**Doors with viewing windows**

Provide an open view of the contents and also encourage users to keep the contents tidy.



**Pin hinged doors**

Doors are flush with the cabinet housing. Opening angle approx. 115°.



**Turn and push cylinder lock and smooth, quiet operation**

Cannot be prised out thanks to a bar bent to right angles. The ball bearing rollers of the sliding doors run very quietly on the guide rails.



# LISTA Electronic Control

The electronically controlled access system LISTA Electronic Control gives you maximum flexibility to allocate and manage access rights. This means that you can not only control access to the entire cabinet, individual drawers or the drawer compartments developed specially for this system but can also combine different system versions in a single cabinet. Just as required.

- + **Ideal protection**  
from unauthorised access
- + **Constant availability and full traceability**  
of valuable or scheduled inventory 24/7
- + **Maximum flexibility**  
through individual access rights and locking levels
- + **Simple control**  
thanks to intuitive operation
- + **Additional security**  
through metal drawer compartments specially developed for this system
- + **Reduced inventory loss and better planning**  
giving direct cost savings and increased productivity
- ! **LISTA Electronic Control is available either as a complete system consisting of hardware and software or as hardware only to enable you to use your own software.**


# The modular system for internal logistics solutions

## Level 1 Security

### » Access control at cabinet level

#### LCC – LISTA Cabinet Control

Electronically controlled access to the entire cabinet.  
Available for sizes  
36 x 36 E (717 x 725 mm)  
54 x 36 E (1023 x 725 mm)




## Level 2 Security

### » Access control at drawer level

#### LDC – LISTA Drawer Control

Electronically controlled access to specific drawers.  
Available for sizes  
36 x 36 E (717 x 725 mm)  
54 x 36 E (1023 x 725 mm)




## Level 3 Security

### » Access control at compartment level

#### LPC – LISTA Parts Control

Electronically controlled access to specific drawer compartments.  
Available for sizes  
36 x 36 E (717 x 725 mm)




### i Examples of usage

- Protective clothing
- Medical dressings
- Low-cost spare parts
- Simple tools
- Consumables



### i Examples of usage

- Medicines
- Medical supplies
- Spare parts
- Tools
- Measuring instruments



### i Examples of usage

- Cutting tools
- Medical devices
- Hazardous substances
- Measuring instruments
- Valuables



## LISTA Service – always the best advice

### Analysis of requirements

Your individual requirements are discussed and defined and the conditions on-site are assessed.

### Optimisation and planning

All storage optimisation possibilities are assessed and a plan is drawn up which takes all factors such as available space, products and systems into account. All the important aspects such as fire prevention, safety at work and building planning controls are included in the planning.

### Installation and training

Our qualified specialists install the system on-site and provide full training to guarantee a smooth start-up.

### After-sales service

After installation our experienced staff are available to help you with advice and assistance at any time.



## LISTA Workshop trolley

# MOBILE AND COMPACT

With its compact dimensions, the mobile LISTA workshop trolley can be used in any workplace. Smooth-running castors ensure that all important equipment is always within reach. It is available in three drawer configurations and can easily accommodate even larger hand tools and electric tools. In addition, you can attach further practical accessories to the side panels so that everything you need is always to hand.

- 
- + Optimum load capacities**  
load capacity 20 kg per drawer, 300 kg housing
  - + Additional security**  
through rounded corner pieces made from abrasion-resistant plastic which act as buffers
  - + Full mobility**  
thanks to two smooth-running fixed and swivel castors in solid rubber
  - + Additional storage space and work surface**  
through non-slip plastic profile cover with compartments for small items
  - + Flexibly adaptable**  
through practical accessories such as spray can holder, perforated panels etc. for attaching to the side panels
  - + Extremely user-friendly**  
thanks to robust, ergonomic push handles on both sides

## + Extremely smooth-running and safe



### Full extension

- with ball bearing
- maximum use of horizontal space
- everything in view
- optimum access



### Single drawer opening

- prevents the trolley from tipping over by blocking all other drawers when one drawer is pulled out



### Edge protection

- rounded corner pieces made from two-layer, abrasion-resistant plastic act as buffers



### Castors

- two fixed castors
- two swivel castors with brakes
- in solid rubber
- with generous 125 mm diameter

**W** **725 mm**    **D** **500 mm**

502 x 398 mm




<b>H</b>	Drawers	Net weight kg	Art. no.
956	4x75 / 2x100 / 1x200	53	<b>81.000.XXX</b>
956	4x75 / 4x100	57	<b>81.001.XXX</b>
956	8x75 / 1x100	60	<b>81.002.XXX</b>

Art. no. **81.000.090**  
Gentian blue, RAL 5010  
(excluding partition material)




## Partition material sets for drawers



### 6-section tray 1/6

Height mm	Colour	Art. no.
37	grey	<b>81.044.000</b>


6-piece



### Tray 1/6

Height mm	Colour	Art. no.
37	grey	<b>81.045.000</b>


6-piece



### Tray 1/3

Height mm	Colour	Art. no.
37	grey	<b>81.046.000</b>

3-piece



### Tray set

Height mm	Colour	Art. no.
37	grey	<b>81.048.000</b>

5-piece: 1 x tray 1/3, 2 x tray 1/6, 1 x 6-part tray 1/6, 1 x 12-part tray 1/6

## Accessories



### Add-on tray

Usable width mm	Usable depth mm	Art. no.
365	300	<b>81.050.000</b>


Steel sheet, black, powder coated.



### Spray can holder

Height mm	Width mm	Depth mm	Art. no.
70	372	74	<b>81.052.000</b>

Steel sheet, black, powder coated.



### Waste container

Content litres	Art. no.
12	<b>81.055.000</b>

Steel sheet, black, powder coated.  
Inner container, plastic, removable.



### Perforated panel

Height mm	Width mm	Depth mm	Art. no.
735	372	15	<b>81.053.000</b>

Steel sheet, black, powder coated.

