

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Glanzgoldplattierbad 750 SC (4g Au/l), Glanzgoldplattierbad SCI (4g Au/l)
WILAPLAT gold plating bath 750 SC (4g Au/l), WILAPLAT gold plating bath 750 SCI (4g Au/l)
- **Article number:** 3080100602, 3080100802
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Galvanic bath
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Wieland Edelmetalle GmbH
Schwenninger Str. 13
75179 Pforzheim
Telefon +49 (07231)-1393-0, Telefax +49 (07231)-1393-100
- **Further information obtainable from:**
Wieland Edelmetalle GmbH
www.wieland-edelmetalle.de
msds@wieland-edelmetalle.de
- **1.4 Emergency telephone number:**
Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

Carc. 1B H350i May cause cancer by inhalation.
Repr. 1B H360F May damage fertility.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.
Acute Tox. 4 H312 Harmful in contact with skin.
Acute Tox. 4 H332 Harmful if inhaled.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07



GHS08



GHS09

- **Signal word** Danger

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.11.2018

Version number 3

Revision: 20.03.2018

**Trade name: Glanzgoldplattierbad 750 SC (4g Au/l), Glanzgoldplattierbad SCI (4g Au/l)
WILAPLAT gold plating bath 750 SC (4g Au/l), WILAPLAT gold plating bath 750 SCI (4g Au/l)**

(Contd. of page 1)

· **Hazard-determining components of labelling:**

potassium dicyanoaurate
cobalt sulphate

· **Hazard statements**

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.
H350i May cause cancer by inhalation.
H360F May damage fertility.
H411 Toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

EUH208 Contains cobalt sulphate, potassium dicyanoaurate. May produce an allergic reaction.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.
· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.2 Chemical characterisation: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 77-92-9 EINECS: 201-069-1	citric acid ⚠ Eye Irrit. 2, H319	5-10%
CAS: 10124-43-3 EINECS: 233-334-2	cobalt sulphate ⚠ Resp. Sens. 1, H334; Muta. 2, H341; Carc. 1B, H350i; Repr. 1B, H360F; ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); ⚠ Acute Tox. 4, H302; Skin Sens. 1, H317	≤ 1%
CAS: 13967-50-5 EINECS: 237-748-4	potassium dicyanoaurate ⚠ Acute Tox. 2, H300; Acute Tox. 2, H330; ⚠ Met. Corr.1, H290; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	≤ 1%

· **SVHC**

10124-43-3 cobalt sulphate

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.11.2018

Version number 3

Revision: 20.03.2018

**Trade name: Glanzgoldplattierbad 750 SC (4g Au/l), Glanzgoldplattierbad SCI (4g Au/l)
WILAPLAT gold plating bath 750 SC (4g Au/l), WILAPLAT gold plating bath 750 SCI (4g Au/l)**

(Contd. of page 2)

- **After skin contact:** If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Call a doctor immediately.
Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** Hydrogen cyanide (HCN)
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Mount respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Store under lock and key and with access restricted to technical experts or their assistants only.
Keep receptacle tightly sealed.

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.11.2018

Version number 3

Revision: 20.03.2018

**Trade name: Glanzgoldplattierbad 750 SC (4g Au/l), Glanzgoldplattierbad SCI (4g Au/l)
WILAPLAT gold plating bath 750 SC (4g Au/l), WILAPLAT gold plating bath 750 SCI (4g Au/l)**

(Contd. of page 3)

- **Storage class:** 6.1D
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

· 8.1 Control parameters

- **Ingredients with limit values that require monitoring at the workplace:**

10124-43-3 cobalt sulphate

WEL	Long-term value: 0.1 mg/m ³ Carc, Sen
-----	---

· DNELs

13967-50-5 potassium dicyanoaurate

Oral	DNEL(Comm.)akut	4.5 mg/kg (-) (CN)
	DNEL(Com.)longterm	0.05 mg/kg (-) (CN)
	DNEL(Industrie) akut	4.5 mg/kg (-) (CN)
	DNEL(Indust.)longt.	0.05 mg/kg (-) (CN)

· PNECs

13967-50-5 potassium dicyanoaurate

PNEC (Industrie)	0.03 µg/l (H ₂ O) (CN)
PNEC (Commercial)	0.03 µg/l (H ₂ O) (CN)

- **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes and skin.

· Respiratory protection:

Filter B

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

- Chloroprene rubber, CR
- Butyl rubber, BR
- Fluorocarbon rubber (Viton)
- Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.11.2018

Version number 3

Revision: 20.03.2018

**Trade name: Glanzgoldplattierbad 750 SC (4g Au/l), Glanzgoldplattierbad SCI (4g Au/l)
WILAPLAT gold plating bath 750 SC (4g Au/l), WILAPLAT gold plating bath 750 SCI (4g Au/l)**

(Contd. of page 4)

- application.
- **Penetration time of glove material**
The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.
Value for the permeation: Level ≤ 6
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Not suitable are gloves made of the following materials:**
Strong material gloves
Leather gloves
- **Eye protection:** Goggles recommended during refilling
- **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
 - **Form:** Fluid
 - **Colour:** Pink
 - **Odour:** Characteristic
 - **Odour threshold:** Not determined.
- **pH-value at 20 °C:** 3.8
- **Change in condition**
 - **Melting point/freezing point:** Undetermined.
 - **Initial boiling point and boiling range:** 100 °C
- **Flash point:** Not applicable.
- **Flammability (solid, gas):** Not applicable.
- **Ignition temperature:** 1010 °C
- **Decomposition temperature:** Not determined.
- **Auto-ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Explosion limits:**
 - **Lower:** Not determined.
 - **Upper:** Not determined.
- **Oxidising properties:** None
- **Vapour pressure at 20 °C:** 23 hPa
- **Density at 20 °C:** 1.08 g/cm³
- **Relative density:** Not determined.
- **Vapour density:** Not determined.
- **Evaporation rate:** Not determined.
- **Solubility in / Miscibility with water:** Fully miscible.
- **Partition coefficient: n-octanol/water:** Not determined.
- **Viscosity:**
 - **Dynamic:** Not determined.

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.11.2018

Version number 3

Revision: 20.03.2018

Trade name: Glanzgoldplattierbad 750 SC (4g Au/l), Glanzgoldplattierbad SCI (4g Au/l)
WILAPLAT gold plating bath 750 SC (4g Au/l), WILAPLAT gold plating bath 750 SCI (4g Au/l)

(Contd. of page 5)

Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
Water:	84.5 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Develops toxic gases/fumes.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** Hydrogen cyanide (prussic acid)

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**
Harmful if swallowed, in contact with skin or if inhaled.

· **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	5,370 mg/kg (rat)
Inhalative	LC50/4 h	92.6 mg/l

10124-43-3 cobalt sulphate

Oral	LD50	582 mg/kg (rat)
------	------	-----------------

13967-50-5 potassium dicyanoaurate

Oral	LD50	29 mg/kg (rat)
Dermal	LD50	100 mg/kg (human) (CN)
Inhalative	LC50/4 h	0.5 mg/l (ATE)
	LC50	524 mg/kg (10min) (human) (HCN)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity**
May cause cancer by inhalation.
- **Reproductive toxicity**
May damage fertility.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

GB

(Contd. on page 7)

**Trade name: Glanzgoldplattierbad 750 SC (4g Au/l), Glanzgoldplattierbad SCI (4g Au/l)
WILAPLAT gold plating bath 750 SC (4g Au/l), WILAPLAT gold plating bath 750 SCI (4g Au/l)**

(Contd. of page 6)

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

13967-50-5 potassium dicyanoaurate

LC50	0.083 mg/l (96h) (Lepomis macrochirus (bluegrill)) (CN)
LC50	0.12 mg/l (96h) (Pimephales promelas (fathead minnow)) (CN)
	0.057 mg/l (96h) (Onchorhynchus mykiss (rainbow trout)) (CN)
EC50	0.041 mg/l (48h) (Daphnia magna (water flea)) (CN)
EC50	1.8 mg/l (72h) (Eutosiphon sulcatum) (CN)
IC50	0.03 mg/l (8d) (Sc.quadricauda) (CN)

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **Ecotoxicological effects:**

· **Remark:** Toxic for fish

· **Additional ecological information:**

· **General notes:**

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Contact manufacturer for recycling information.

Must be specially treated adhering to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· **14.1 UN-Number**

· **ADR, IMDG, IATA**

UN3082

(Contd. on page 8)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.11.2018


Version number 3


Revision: 20.03.2018

**Trade name: Glanzgoldplattierbad 750 SC (4g Au/l), Glanzgoldplattierbad SCI (4g Au/l)
WILAPLAT gold plating bath 750 SC (4g Au/l), WILAPLAT gold plating bath 750 SCI (4g Au/l)**

(Contd. of page 7)

· **14.2 UN proper shipping name**
· **ADR** 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (potassium dicyanoaurate, nickel carbonate)
· **IMDG** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (potassium dicyanoaurate, nickel carbonate), MARINE POLLUTANT
· **IATA** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (potassium dicyanoaurate, nickel carbonate)

· **14.3 Transport hazard class(es)**
· **ADR**

· **Class** 9 (M6) Miscellaneous dangerous substances and articles.
· **Label** 9

· **IMDG, IATA**

· **Class** 9 Miscellaneous dangerous substances and articles.
· **Label** 9

· **14.4 Packing group**
· **ADR, IMDG, IATA** III

· **14.5 Environmental hazards:**
· **Marine pollutant:** No
Symbol (fish and tree)
· **Special marking (ADR):** Symbol (fish and tree)
· **Special marking (IATA):** Symbol (fish and tree)

· **14.6 Special precautions for user** Warning: Miscellaneous dangerous substances and articles.
· **Danger code (Kemler):** 90
· **Stowage Category** A

· **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.

· **Transport/Additional information:**
· **ADR**
· **Limited quantities (LQ)** 5L
· **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
· **Transport category** 3
· **Tunnel restriction code** E

(Contd. on page 9)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.11.2018

Version number 3

Revision: 20.03.2018

**Trade name: Glanzgoldplattierbad 750 SC (4g Au/l), Glanzgoldplattierbad SCI (4g Au/l)
WILAPLAT gold plating bath 750 SC (4g Au/l), WILAPLAT gold plating bath 750 SCI (4g Au/l)**

(Contd. of page 8)

- **IMDG**
- **Limited quantities (LQ)** 5L
- **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
- **UN "Model Regulation":** UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (potassium dicyanoaurate, nickel carbonate), 9, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category E2** Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 28, 30
- **National regulations:**

- **Technical instructions (air):**

Class	Share in %
II	0.6

- **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.
- **Other regulations, limitations and prohibitive regulations**

- **Substances of very high concern (SVHC) according to REACH, Article 57**

10124-43-3	cobalt sulphate
------------	-----------------

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H290 May be corrosive to metals.
H300 Fatal if swallowed.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341 Suspected of causing genetic defects.
H350i May cause cancer by inhalation.
H360F May damage fertility.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.11.2018

Version number 3

Revision: 20.03.2018

Trade name: Glanzgoldplattierbad 750 SC (4g Au/l), Glanzgoldplattierbad SCI (4g Au/l)
WILAPLAT gold plating bath 750 SC (4g Au/l), WILAPLAT gold plating bath 750 SCI (4g Au/l)

(Contd. of page 9)

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organisation
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Met. Corr. 1: Corrosive to metals – Category 1
Acute Tox. 2: Acute toxicity – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Resp. Sens. 1: Respiratory sensitisation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Muta. 2: Germ cell mutagenicity – Category 2
Carc. 1B: Carcinogenicity – Category 1B
Repr. 1B: Reproductive toxicity – Category 1B
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· *** Data compared to the previous version altered.**

GB