

Printing date 24.07.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: <u>Rhodiumbad als Konzentrat mit 20 oder 40 g Rh/l; Rhodiumbad Blancadur Ti Light mit</u> <u>10g Rh/l</u> Rhodium bath as concentrate with 20 or 40 g Rh/l; Rhodium bath Blancadur Ti Light

<u>Rhodium bath as concentrate with 20 or 40 g Rh/l; Rhodium bath Blancadur Ti Light</u> with 10g Rh/l

- · Article number: 3110200101, 3110200110, 3110200107
- \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- \cdot Application of the substance / the mixture <code>Galvanic</code> bath
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Wieland Edelmetalle GmbH Schwenninger Str. 13 75179 Pforzheim Telefon +49 (07231)-1393-0, Telefax +49 (07231)-1393-100
- Further information obtainable from: Wieland Edelmetalle GmbH www.wieland-edelmetalle.de msds@wieland-edelmetalle.de
- **1.4 Emergency telephone number:** Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

GHS08 health hazard

Muta. 2

H341 Suspected of causing genetic defects.

GHS05 corrosion

- Skin Corr. 1A H314 Causes severe skin burns and eye damage.
- Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Danger

Hazard-determining components of labelling: sulphuric acid Rhodium(III)sulfate phosphoric acid
Hazard statements H314 Causes severe skin burns and eye damage. H341 Suspected of causing genetic defects.

(Contd. on page 2)

GB



Printing date 24.07.2020

Version number 5

Trade name: Rhodiumbad als Konzentrat mit 20 oder 40 g Rh/l; Rhodiumbad Blancadur Ti Light mit 10g Rh/l Rhodium bath as concentrate with 20 or 40 g Rh/l; Rhodium bath Blancadur Ti Light with 10g Rh/l

(Contd. of page 1)

· Precautionary sta	atements
P260	Do not breathe dusts or mists.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· 2.3 Other hazard	S

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:	
CAS: 7664-93-9 sulphuric acid	10-40%
EINECS: 231-639-5 🔗 Skin Corr. 1A, H314	
CAS: 10489-46-0 Rhodium(III)sulfate	2-<10%
EINECS: 234-014-5 Muta. 2, H341; 🌮 Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318	
CAS: 7664-38-2 phosphoric acid	1-5%
EINECS: 231-633-2 🐼 Skin Corr. 1B, H314; 🚺 Acute Tox. 4, H302	1
Additional information. For the wording of the listed bazard phrases refer to section 16	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

- If skin irritation continues, consult a doctor.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · Hazards Danger of gastric perforation.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3) GB



Printing date 24.07.2020

Trade name: Rhodiumbad als Konzentrat mit 20 oder 40 g Rh/l; Rhodiumbad Blancadur Ti Light mit 10g Rh/l

Rhodium bath as concentrate with 20 or 40 g Rh/l; Rhodium bath Blancadur Ti Light with 10g Rh/l

(Contd. of page 2)

- 5.2 Special hazards arising from the substance or mixture No further relevant information available. • 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- [•] 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

•7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and explosion protection: The product is not flammable.

·7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class: 8 B
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

7664-38-2 phosphoric acid

WEL Short-term value: 2 mg/m³ Long-term value: 1 mg/m³

· Additional information: The lists valid during the making were used as basis.

• 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

(Contd. on page 4)



Printing date 24.07.2020 Version number 5 Revision: 24.07.2020 Trade name: Rhodiumbad als Konzentrat mit 20 oder 40 g Rh/l; Rhodiumbad Blancadur Ti Light mit 10g Rh/l Rhodium bath as concentrate with 20 or 40 g Rh/l; Rhodium bath Blancadur Ti Light with 10g Rh/l (Contd. of page 3) · Respiratory protection: Not necessary if room is well-ventilated. · Protection of hands: Protective gloves · Material of gloves Chloroprene rubber, CR Butyl rubber, BR Nitrile rubber, NBR Natural rubber, NR Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. • Not suitable are gloves made of the following materials: Strong material gloves Leather gloves · Eye protection: Tightly sealed goggles · Body protection: Protective work clothing **SECTION 9: Physical and chemical properties** · 9.1 Information on basic physical and chemical properties

· General Information	
· Appearance:	
Form:	Fluid
Colour:	Orange
· Odour:	Product specific
· pH-value at 20 °C:	<1
· Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: 110 °C
· Flash point:	Not applicable.
· Ignition temperature:	Not applicable
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Oxidising properties	None
· Vapour pressure:	Not determined.
· Density at 20 °C:	1.14 g/cm ³
	(Contd. on page

— GB



Printing date 24.07.2020

Version number 5

Trade name: Rhodiumbad als Konzentrat mit 20 oder 40 g Rh/l; Rhodiumbad Blancadur Ti Light mit 10g Rh/l Rhodium bath as concentrate with 20 or 40 g Rh/l; Rhodium bath Blancadur Ti Light with 10g Rh/l

		(Contd. of page
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	52.9 %	
Solids content:	0.0 %	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with strong alkali.
- \cdot 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 45,000 mg/kg (rat)

7664-93-9 sulphuric acid

Oral LD50 2,140 mg/kg (rat)

· Primary irritant effect:

- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity
- Suspected of causing genetic defects.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- \cdot STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 24.07.2020

Trade name: Rhodiumbad als Konzentrat mit 20 oder 40 g Rh/l; Rhodiumbad Blancadur Ti Light mit 10g Rh/l Rhodium bath as concentrate with 20 or 40 g Rh/l; Rhodium bath Blancadur Ti Light with 10g Rh/l

(Contd. of page 5)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

7664-93-9 sulphuric acid

LC50 42 mg/l (96h) (Gambusia affinis (Mosquitofish))

· 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB**: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Contact manufacturer for recycling information. Must be specially treated adhering to official regulations.

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Packaging may be reused or recycled after cleaning.

- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	UN3264	
 · 14.2 UN proper shipping name · ADR · IMDG, IATA 	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULPHURIC ACID, Rhodium(III)sulfate) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULPHURIC ACID, Rhodium(III)sulfate)	
 · 14.3 Transport hazard class(es) · ADR 		
·Class	8 (C1) Corrosive substances.	
	(Contd. on page 7	



Printing date 24.07.2020

Version number 5

Trade name: Rhodiumbad als Konzentrat mit 20 oder 40 g Rh/l; Rhodiumbad Blancadur Ti Light mit 10g Rh/l Rhodium bath as concentrate with 20 or 40 g Rh/l; Rhodium bath Blancadur Ti Light with 10g Rh/l

	(Contd. of page
Label	8
IMDG, IATA	
Class	8 Corrosive substances.
Label	8
14.4 Packing group	
ADR, IMDĞ, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	8
EMS Number:	F-A,S-B
Segregation groups	Acids
Stowage Category	B SW2 Clean of living quantum
Stowage Code	SW2 Clear of living quarters.
14.7 Transport in bulk according to Anno	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	E E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
······································	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN3264, CORROSIVE LIQUID, ACIDIC
U	INORGANIC, N.O.S., 8, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· National regulations:

 \cdot Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

(Contd. on page 8)

⁻ GB



Printing date 24.07.2020

Trade name: Rhodiumbad als Konzentrat mit 20 oder 40 g Rh/l; Rhodiumbad Blancadur Ti Light mit 10g Rh/l Rh/l

Rhodium bath as concentrate with 20 or 40 g Rh/l; Rhodium bath Blancadur Ti Light with 10g Rh/l

(Contd. of page 7)

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals.

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.

H341 Suspected of causing genetic defects.

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity - oral – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Muta. 2: Germ cell mutagenicity – Category 2

• * Data compared to the previous version altered.