

Printing date 25.06.2020 Version number 3 Revision: 25.06.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: LUBETA V105

· Article number: V105

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Product category Lubricants, greases, release products

· Application of the substance / the mixture Lubrification

· 1.3 Details of the supplier of the safety data sheet

The Swatch Group Research and Development Ltd.

Division Moebius Kreuzenstrasse 30 CH-4452 Itingen Switzerland

Tel.: +41 61 975 73 00 Fax: +41 61 975 73 01

moebius@moebius-lubricants.ch
1.4 Emergency telephone number:

Tox Info Suisse, info@toxinfo.ch

Phone: +41 44 251 51 51 or CH-Emergency Phone: 145 (24h)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 3 H226 Flammable liquid and vapour.



STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms





GHS02

GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

1-methoxy-2-propanol

· Hazard statements

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Printing date 25.06.2020 Version number 3 Revision: 25.06.2020

Trade name: LUBETA V105

(Contd. of page 1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description
- Naphtha (petroleum), hydrotreated light
- Identification number(s) · EC number: 265-151-9
- · Index number: 649-328-00-1
- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 107-98-2	Flam. Liq. 3, H226; STOT SE 3, H336	50-100%
EINECS: 203-539-1		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Do not flush with water or aqueous cleansing agents

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Printing date 25.06.2020 Version number 3 Revision: 25.06.2020

Trade name: LUBETA V105

(Contd. of page 2)

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

107-98-2 1-methoxy-2-propanol

MAK (Switzerland) | Short-term value: 720 mg/m³, 200 ppm Long-term value: 360 mg/m³, 100 ppm

B SSc;

Ingredients with biological limit values:

107-98-2 1-methoxy-2-propanol

BAT (Switzerland) 20 mg/l

Untersuchungsmaterial: Urin

Probennahmezeitpunkt: Expositionsende bzw. Schichtende

Biol. Parameter: 1-Methoxypropanol-2

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

Printing date 25.06.2020 Version number 3 Revision: 25.06.2020

Trade name: LUBETA V105

(Contd. of page 3)

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and	cnemicai	properties
---	----------	------------

· General Information

· Appearance:

Form: Fluid
Colour: Colourless
Odour: Characteristic
Odour threshold: Not determined.

pH-value: Not determined.

· Change in condition

Melting point/freezing point: -96.7 °C Initial boiling point and boiling range: 119 - 122 °C

• Flash point: 32 °C (DIN 51755)

· Flammability (solid, gas): Not applicable.

· Ignition temperature: 270 °C

· **Decomposition temperature:** Not determined.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are

possible.

· Explosion limits:

 Lower:
 2.3 Vol %

 Upper:
 ~15 Vol %

· Vapour pressure at 20 °C: 12 hPa

Density at 20 °C: 0.92 g/cm³
 Relative density Not determined.
 Vapour density Not determined.
 Evaporation rate Not determined.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

 Organic solvents:
 99.2 %

 VOC (EC)
 99.20 %

Solids content: 0.2 %

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

Printing date 25.06.2020 Version number 3 Revision: 25.06.2020

Trade name: LUBETA V105

(Contd. of page 4)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause drowsiness or dizziness.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official national regulations.

SECTION 14: Transport information

- · 14.1 UN-Number
- · ADR, IMDG, IATA

UN3092

- · 14.2 UN proper shipping name
- $\cdot ADR$

3092 1-METHOXY-2-PROPANOL mixture

· IMDG, IATA 1-METHOXY-2-PROPANOL mixture

(Contd. on page 6)

Printing date 25.06.2020 Version number 3 Revision: 25.06.2020

Trade name: LUBETA V105

- 14.3 Transport hazard class(es) - Class - Class - Label - 14.4 Packing group - ADR, IMDG, IATA - 14.5 Environmental hazards: - Marine pollutant: - 14.6 Special precautions for user - Hazard identification number (Kemler code): - Stowage Category - 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code - Transport/Additional information: - Code: El - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per outer packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per outer packaging: 30 ml		(Contd. of page
Class Label 3 Flammable liquids. 14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: F-E,S-D Stowage Category A 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (LQ) Faccepted quantities (EQ) Transport category A Tunnel restriction code IMDG Limited quantities (LQ) Limited quantities (LQ) Excepted quantities (LQ) Limited quantities (LQ) Limited quantities (LQ) Limited quantities (LQ) Excepted quantities (LQ) Aaximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	· 14.3 Transport hazard class(es)	
- Label 3 - 14.4 Packing group - ADR, IMDG, IATA III - 14.5 Environmental hazards: - Marine pollutant: - No - 14.6 Special precautions for user - Hazard identification number (Kemler code): - EMS Number: - Stowage Category - A - 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code - Transport/Additional information: - ADR - Limited quantities (LQ) - Excepted quantities (EQ) - Transport category - A - Transport category - A - Code: E1 - Maximum net quantity per outer packaging: 30 ml - Maximum net quantities (LQ) - IMDG - Limited quantities (LQ) - Excepted quantities (LQ) - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per outer packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 1000 ml	· ADR, IMDG, IATA	
Label 3 14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Warning: Flammable liquids. 4 Hazard identification number (Kemler code): 5-EMS Number: F-E,S-D Stowage Category A 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5L Excepted quantities (EQ) 5L Transport category 3 Tunnel restriction code D/E IMDG Limited quantities (LQ) 5L Limited quantities (LQ) 5L Limited quantities (LQ) 5L Code: E1 Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml		
Label 3 14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Warning: Flammable liquids. 4 Hazard identification number (Kemler code): 5-E-S-D Stowage Category A 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5L Excepted quantities (EQ) 5L Transport category 3 Tunnel restriction code D/E IMDG Limited quantities (LQ) 5L Limited quantities (LQ) 5L Limited quantities (LQ) 5L Code: E1 Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml		
Label 3 14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Warning: Flammable liquids. 4 Hazard identification number (Kemler code): 5-E-S-D Stowage Category A 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 5L Excepted quantities (EQ) 5L Transport category 3 Tunnel restriction code D/E IMDG Limited quantities (LQ) 5L Limited quantities (LQ) 5L Limited quantities (LQ) 5L Code: E1 Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml		
14.4 Packing group ADR, IMDG, IATA 111 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Hazard identification number (Kemler code): Stowage Category A 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category A SL Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml Maximum net quantity per inner packaging: 30 ml Maximum quantities (LQ) Limited quantities (LQ) Excepted quantities (LQ) Adximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml		*
- ADR, IMDĞ, İATA III - 14.5 Environmental hazards: - Marine pollutant: - No - 14.6 Special precautions for user - Hazard identification number (Kemler code): - EMS Number: - Stowage Category - A - 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code - Transport/Additional information: - ADR - Limited quantities (LQ) - Excepted quantities (EQ) - Transport category - A - IMDG - IMDG - IMDG - Limited quantities (LQ) - Excepted quantities (LQ) - Excepted quantities (LQ) - Code: El - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per outer packaging: 1000 ml - Imited quantities (LQ) - Excepted quantities (LQ) - Excepted quantities (LQ) - IMDG - Limited quantities (LQ) - Excepted quantities (EQ) - Code: El - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 1000 ml	· Label	3
- 14.5 Environmental hazards: - Marine pollutant: - No - 14.6 Special precautions for user - Hazard identification number (Kemler code): - EMS Number: - Stowage Category - A - 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code - Transport/Additional information: - ADR - Limited quantities (LQ) - Excepted quantities (EQ) - Transport category - Tunnel restriction code - Limited quantities (LQ) - Limited quantities (LQ) - Excepted quantities (LQ) - Transport category - Tunnel restriction code - Limited quantities (LQ) - Excepted quantities (LQ) - Limited quantitie		
Marine pollutant: No 14.6 Special precautions for user Warning: Flammable liquids. Hazard identification number (Kemler code): 30 EMS Number: F-E,S-D Stowage Category A 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR SL Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Transport category 3 Tunnel restriction code D/E IMDG Code: E1 Limited quantities (LQ) SL Excepted quantities (LQ) SL Excepted quantities (LQ) SL Excepted quantities (LQ) SL Excepted quantities (LQ) SL Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	· ADR, IMDG, IATA	III
- 14.6 Special precautions for user - Hazard identification number (Kemler code): - EMS Number: - Stowage Category - 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code - Transport/Additional information: - ADR - Limited quantities (LQ) - Excepted quantities (EQ) - Transport category - Tunnel restriction code - IMDG - Limited quantities (LQ) - Excepted quantities (LQ) - Excepted quantities (LQ) - Code: E1 - Maximum net quantity per outer packaging: 1000 ml - Maximum net quantity per inner packaging: 1000 ml - Transport category - Tunnel restriction code - IMDG - Limited quantities (LQ) - Excepted quantities (LQ) - Excepted quantities (LQ) - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per outer packaging: 1000 ml	=	
Hazard identification number (Kemler code): EMS Number: Stowage Category A 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) Maximum net quantity per outer packaging: 1000 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml	· Marine pollutant:	No
EMS Number: Stowage Category 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (LQ) Code: E1 Maximum net quantity per outer packaging: 1000 ml Adaximum net quantity per outer packaging: 1000 ml SL Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	· 14.6 Special precautions for user	Warning: Flammable liquids.
Stowage Category 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Transport category Trunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (LQ) IMDG Limited quantities (LQ) Excepted quantities (LQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml A Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. - Transport/Additional information: - ADR - Limited quantities (LQ) 5L - Excepted quantities (EQ) Code: E1 - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per outer packaging: 1000 ml - Transport category 3 - Tunnel restriction code D/E - IMDG - Limited quantities (LQ) 5L - Excepted quantities (EQ) Code: E1 - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per outer packaging: 30 ml - Maximum net quantity per outer packaging: 1000 ml		
the IBC Code Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (LQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml SL Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	· Stowage Category	A
Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (LQ) Maximum net quantity per outer packaging: 1000 ml D/E Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per outer packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		
· ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Transport category Tunnel restriction code D/E · IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	the IBC Code	Not applicable.
• Limited quantities (LQ) • Excepted quantities (EQ) • Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml • Transport category Tunnel restriction code D/E • IMDG • Limited quantities (LQ) • Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	· Transport/Additional information:	
Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Transport category Tunnel restriction code D/E IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		
Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Transport category 3 Tunnel restriction code D/E IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		
Maximum net quantity per outer packaging: 1000 ml 3 Tunnel restriction code D/E IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	Excepted quantities (EQ)	
Transport category Tunnel restriction code D/E IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		
 Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 	Tuguanaut aataaam	
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		
• Limited quantities (LQ) • Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	1	D/L
* Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		£1
Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		
Maximum net quantity per outer packaging: 1000 ml	· Exceptea quantities (EQ)	
. ,,		
· UN "Model Regulation": UN 3092 1-METHOXY-2-PROPANOL MIXTURE 3 III	· UN "Model Regulation":	UN 3092 1-METHOXY-2-PROPANOL MIXTURE, 3, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

(Contd. on page 7)

Printing date 25.06.2020 Version number 3 Revision: 25.06.2020

Trade name: LUBETA V105

(Contd. of page 6)

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* * Data compared to the previous version altered.

CHE